



NOTICE OF DETERMINATION OF A DEVELOPMENT APPLICATION
issued under the
Environmental Planning and Assessment Act, 1979 Section 4.18(1)(a)

DEFERRED COMMENCEMENT CONSENT

Development Application No. 10.2022.284.1

Ms M Bettiol
6-10 Station Street
BANGALOW NSW 2479

Email: office@certifiers2u.com.au

Property description	LOT: 139 DP: 1265934 35 Lorikeet Lane MULLUMBIMBY
Development	Construction of New Dwelling to Create Dual Occupancy (Detached)
Determination	Deferred Commencement Consent granted <i>Subject to the attached schedule of conditions</i>
Date determined	18 October 2022
Consent to operate from	Deferred
Consent to lapse on	19 October 2027

IMPORTANT INFORMATION with regard to your deferred commencement consent

1. This is a **deferred commencement approval** under Section 4.16(3) of the Environmental Planning and Assessment Act 1979 (as amended). This consent does not become operative until the requirements listed in Schedule A of this consent have been satisfied.
2. Upon compliance with the issues under Schedule A, and written confirmation from Council to that effect, the consent shall become operative from the date of endorsement included in the written notification subject to the conditions listed in Schedule B and any other conditions arising from the requirement of Schedule A.

Schedule 1 - Deferred Condition/s pursuant to Section 4.16(3).

The following condition/s concern matters as to which the Council must be satisfied before the consent can be issued:

CONDITIONS OF CONSENT

SCHEDULE 1. DEFERRED COMMENCEMENT CONDITION PURSUANT TO SECTION 4.16(3)

The following condition concerns matters as to which the Council must be satisfied before the consent can be issued:

1. **Deferred Commencement Consent**

This consent does not operate until Council is satisfied as to the following matter:

(a) Demolition of structure

The structure located in the south-eastern corner of the lot at the rear of the site is to be demolished in its entirety, and the site restored to the condition before works were undertaken to the satisfaction of Council.

Evidence is required to be submitted of compliance with the above condition, sufficient to satisfy the Council as to those matters, within 2 years of the date of this Notice of Determination. If satisfactory evidence is produced in accordance with this requirement, the Council will give written notice to the applicant of the date from which this consent commences operation.

If Council has not notified the applicant within a period of 28 days after the applicant's evidence is produced to it, the Council is, for the purposes only of Section 97 of the Environmental Planning and Assessment Act 1979, taken to have notified the applicant that Council is not satisfied as to those matters on the date on which that 28-day period expires.

Schedule 2 - Conditions pursuant to Section 4.16(1)

Upon satisfaction of the deferred commencement condition/s, the following conditions apply:

SCHEDULE 2. CONDITIONS OF CONSENT

Upon satisfaction of the deferred commencement condition/s, the following conditions apply:

Parameters of consent

1. Approved plans and supporting documentation

Development must be carried out in accordance with the following approved plans and supporting documentation (stamped by Council), except where the conditions of this consent expressly require otherwise.

Plan No.	Revision No.	Plan Title	Drawn by	Dated
200	E	Site Plan	Imagine by design	21/06/2022
210	E	Landscaping plan	Imagine by design	21/06/2022
300	E	Front pod plans	Imagine by design	21/06/2022
350	E	Rear pod plans	Imagine by design	21/06/2022
400	E	Roof plan	Imagine by design	21/06/2022
500	E	Elevations - east	Imagine by design	21/06/2022
550	E	Elevations – west	Imagine by design	21/06/2022
560	E	Elevations – north	Imagine by design	21/06/2022
600	E	Sections	Imagine by design	21/06/2022
620	E	Sections	Imagine by design	21/06/2022
640	E	Sections	Imagine by design	21/06/2022

In the event of any inconsistency between the approved plans and the supporting documentation, the approved plans prevail. In the event of any inconsistency between the approved plans and a condition of this consent, the condition prevails.

Note: an inconsistency occurs between an approved plan and supporting documentation or between an approved plan and a condition when it is not possible to comply with both at the relevant time.

2. Car Parking to be available for the approved use

Parking within the development, together with all driveways and turning areas, must be provided and maintained as follows:

- a) Two (2) car spaces in the double carport for the existing dwelling as approved by Development consent 10.2020.628.1
- b) Two (2) car spaces in the double garage for the proposed dwelling

3. Payment of security deposits

Before the commencement of any works on the site or the issue of a construction certificate, the applicant must make all of the following payments to Council and provide written evidence of these payments to the certifier:

Security deposit	\$3,000
Inspection fee	\$200

The payments will be used for the cost of:

- making good any damage caused to any council property (including street trees) as a consequence of carrying out the works to which the consent relates,
- completing any public work such as roadwork, kerbing and guttering, footway construction, stormwater drainage and environmental controls, required in connection with this consent, and
- any inspection carried out by Council in connection with the completion of public work or the making good any damage to council property.

Note: The inspection fee includes Council's fees and charges and includes the Public Road and Footpath Infrastructure Inspection Fee (under the *Roads Act 1993*). The amount payable must be in accordance with council's fees and charges at the payment date.

4. Support for neighbouring buildings

If an excavation extends below the level of the base of the footings of a building on an adjoining allotment of land, the person causing the excavation to be made or builder must:

- a. Inform the neighbouring property owner immediately.
- b. Engage a structural engineer to determine any remedial works that may need to be undertaken.
- c. Preserve and protect the adjoining building from damage.
- d. If necessary, underpin and support the building in an approved manner.

5. Conditions prescribed by the Regulation

This development consent is subject to the conditions prescribed by the regulations in accordance with subsection 4.17(11) of the Environmental Planning and Assessment Act 1979. Conditions are provided in **Schedule 3** of this consent.

6. **Bush fire safety measures**

This land is identified as being designated bush fire prone land and under section 4.14 of the Environmental Planning and Assessment Act 1979, Council must be satisfied prior to making a determination for development on bush fire prone land that the development complies with "Planning for Bush Fire Protection 2019".

The development is approved subject to the following conditions:

Asset Protection Zones

Intent of measures: to minimise the risk of bush fire attack and provide protection for emergency services personnel and other assisting fire fighting activities.

1. At the commencement of building works and in perpetuity, to assist in the ongoing protection from the impact of bush fires, the entire property shall be managed as an Inner Protection Area (IPA) in accordance with the requirements of Appendix 4 of Planning for Bush Fire Protection 2019.

When establishing and maintaining an IPA the following requirements apply:

- Tree canopy cover should be less than 15% at maturity;
- Trees at maturity should not touch or overhang the building;
- Lower limbs should be removed up to a height of 2m above the ground;
- Tree canopies should be separated by 2 to 5m;
- Preference should be given to smooth barked and evergreen trees;
- Large discontinuities or gaps in vegetation should be provided to slow down or break the progress of fire towards buildings
- Shrubs should not be located under trees;
- Shrubs should not form more than 10% ground cover
- Clumps of shrubs should be separated from exposed windows and doors by a distance of at least twice the height of the vegetation.
- Grass should be kept mown (as a guide grass should be kept to no more than 100mm in height); and
- Leaves and vegetation debris should be removed.

Water and Utilities Services

Intent of measures: to minimise the risk of bush fire attack and provide protection for emergency services personnel and other assisting fire fighting activities.

2. Any new or extension of existing water, electricity, and/or gas service must comply with table 7.4a of Planning for Bush Fire Protection 2019.

Construction Standards

Intent of measures: to minimise the risk of bush fire attack and provide protection for emergency services personnel, residents and others assisting firefighting activities. To achieve this, the following conditions shall apply:

3. New construction shall comply with Sections 3 and 7/8/9 (BAL 29) Australian Standard AS3959-2018 'Construction of buildings in bush fire-prone areas' and the relevant provisions of Section 7.5 of Planning for Bush Fire Protection 2019.

Landscaping Assessment

Intent of measures: to minimise the risk of bush fire attack and provide protection for emergency services personnel, residents and others assisting firefighting activities.

4. Landscaping within the required inner protection area is to comply with the principles of Appendix 4 of 'Planning for Bush Fire Protection 2019'

The following conditions are to be complied with prior to issue of a Construction Certificate for building works

7. Construction site management plan

Before the issue of a construction certificate, the applicant must ensure a construction site management plan is prepared before it is provided to and approved by the certifier. The plan must include the following matters:

- location and materials for protective fencing and hoardings to the perimeter on the site
- provisions for public safety
- pedestrian and vehicular site access points and construction activity zones
- details of construction traffic management, including proposed truck movements to and from the site and estimated frequency of those movements, and measures to preserve pedestrian safety in the vicinity of the site
- protective measures for on-site tree preservation (including in accordance with AS 4970-2009 Protection of trees on development sites and Council's DCP, if applicable) and trees in adjoining public domain (if applicable)
- details of any bulk earthworks to be carried out
- location of site storage areas and sheds
- equipment used to carry out all works
- a garbage container with a tight-fitting lid
- dust, noise and vibration control measures
- location of temporary toilets.

The applicant must ensure a copy of the approved construction site management plan is kept on-site at all times during construction.

8. Water service and meter to be connected to dual occupancy

An approval under Section 68 of the local Government Act 1993 to carry out water supply work and sewerage work must be obtained.

Water metering to be in accordance with Byron Shire Council's water metering requirements

See: <https://www.byron.nsw.gov.au/Services/Building-development/Other-approvals-and-permits/Plumbing-and-Drainage-Applications>

Any new water service and meter will be at applicants cost.

9. Design amendments

Before the issue of a construction certificate, the certifier must ensure the approved construction certificate plans (and specifications) detail the following required amendments to the approved plans and supporting documentation stamped by Council.

a) Privacy Screening

Privacy screening to W12 is to be installed.

The screen could be constructed from lattice, vertical slats or other similar non-transparent screenings. Where slats are used they are to be angled to ensure the line of sight is directed away from the adjoining dwelling. The screen must be a minimum of 1.8m high.

10. Compliance required with Building in the Vicinity of Underground Infrastructure Policy

All developments must comply with Policy: Building in the Vicinity of Underground Infrastructure 2020.

The use of displacement and screw pile construction methods will require approval by Council.

Any retaining wall / brick / masonry fence crossing a pipeline requires Council approval. The fence must be supported such that it does not cause loading on the pipes zone-of-influence.

A minimum horizontal clearance of 1.5m from the centre is required around existing Sewer Shaft as well as minimum vertical clearance of 3m from finished ground level is required.

11. On-site stormwater detention required

The application for a Construction Certificate is to include plans and specifications for stormwater drainage in accordance with the relevant Australian Standard. All stormwater drainage for the development must be conveyed via an on-site stormwater detention system by gravity to the kerb and gutter at the street frontage via a kerb adaptor in accordance with Councils Standard Drawing R-08.

Such plans and specifications must be approved as part of the Construction Certificate.

All stormwater drainage systems within the lot and the connection to a public or an inter-allotment drainage system must:

- (a) comply with any requirements for the disposal of stormwater drainage and on-site stormwater detention contained in Council's Development Control Plan, Stormwater Guideline and Local Approvals Policy; and
- (b) unless exempt from obtaining an approval under section 68 of the Local Government Act 1993 by a Local Approvals Policy, an approval must be obtained under that Act prior to issue of a Construction Certificate.

12. Access & Parking

The application for a Construction Certificate is to include plans and specification that indicate access, parking and manoeuvring details in accordance with the plans approved by this consent.

The access, parking and manoeuvring for the site is to comply with the requirements of AS 2890.1-2004: Parking facilities, Part 1: Off-street car parking. Plans are to include, but not be limited to, the following items:

- a) the retaining wall separating the driveway to the existing dwelling and the proposed landing is to be in accordance with the requirements of clause 2.4.5.4 of AS2890.1;
- b) pavement design, comprising an all weather surface, such as asphalt, bitumen seal, concrete, pavers or suitably designed permeable pavements;
- c) site conditions affecting the access;
- d) existing and design levels; and
- e) longitudinal section from the road centreline to the car space(s).

Such plans and specifications must be approved as part of the Construction Certificate.

Written evidence prepared by a suitably qualified engineer must be obtained that demonstrates, to the certifier's satisfaction, the plans for the access and parking facilities comply with the relevant parts of AS 2890.1 Parking Facilities – Off-Street Carparking and Council's current "Northern Rivers Local Government Development Design & Construction Manuals and Standard Drawings".

13. Compliance with BASIX Certificate requirements

The development is to comply with Basix Certificate No. 1307163S_02, dated Thursday, 09 June 2022.

The commitments indicated in the Certificate are to be indicated on the plans submitted for approval of the Construction Certificate.

The plans submitted must clearly indicate all windows numbered or identified in a manner that is consistent with the identification on the Basix Certificate.

Minor changes to the measures may be undertaken without the issue of any amendment under Section 4.55 of the Act, provided that the changes do not affect the form, shape or size of the building.

Such plans and specifications must be approved as part of the Construction Certificate.

14. Developer Contributions to be paid

Contributions set out in the schedule below are to be paid to Council prior to the release of a construction certificate. Contributions are levied in accordance with the Byron Shire Developer Contributions Plan 2012 (as amended). The Plan may be viewed on line at www.byron.nsw.gov.au or during office hours at the Council Offices located at Station Street, Mullumbimby. These contributions are to fund public amenities and services as listed in the schedule. Additional details on the specific amenities are to be found in the Byron Shire Developer Contributions Plan 2012 (as amended).

The contributions in the schedule are current at the date of this consent. The contributions payable will be adjusted in accordance with the relevant plan and the **amount payable will be calculated on the basis of the contribution rates that are applicable at the time of payment.** The schedule contains a date for which the schedule remains valid, after this date you will have to contact Council for an updated schedule.

15. Certificate of Compliance – s307 Water Management Act 2000

Prior to issue of any Construction Certificate, a Certificate of Compliance under Section 307 of the Water Management Act 2000 must be obtained upon payment of developer charges for water and sewer as calculated in accordance with Byron Shire Council and Rous County Council Development Servicing Plans. Where staging of the Construction Certificate occurs, a separate s307 Compliance Certificate must be obtained for each stage.

Byron Shire Council acts as Rous County Council's agent in this matter and will issue a Certificate of Compliance on behalf of Rous County Council upon payment of the Rous County Council Development Servicing Charge to this Council.

Note: For issue of the Certificate of Compliance, an application form and associated fee must be lodged via Council's website. Copies of Byron Shire Council's Development Servicing Plans are available via Council's website.

Developer charges will be calculated in accordance with the Development Servicing Plan applicable at the date of payment. A check must be made with Council to ascertain the current rates by contacting Council's Principal Engineer Systems Planning, Utilities on 02 6626 7000. Applicable charges can also be found on Council's website:

<https://www.byron.nsw.gov.au/Services/Water-sewer/Plumbers-and-developers/Calculate-the-cost-of-an-Equivalent-Tenement#section-3>

The contributions payable will be adjusted in accordance with relevant plan and the amount payable will be calculated on the basis of the contribution rates that are applicable at the time of payment.

Payment by Personal or Company Cheque will not be Accepted

16. Long Service Levy to be paid

In accordance with Section 6.8 of the Environmental Planning and Assessment Act 1979 (as amended), a Construction Certificate for BUILDING WORKS shall NOT be issued until any Long Service Levy payable under Section 34 of the Building and Construction Industry Long Service Payments Act, 1986 (or where such levy is payable by instalments, the first instalment of the levy) has been paid (as applicable).

These payments can be made online at www.longservice.nsw.gov.au. Proof of payment is required to be submitted with the Construction Certificate application.

For further information regarding the Long Service Payment please refer to the website above.

17. Waste Management Plan

Before the issue of a construction certificate, the applicant is to ensure that a waste management plan is prepared in accordance with the EPA's Waste Classification Guidelines and the following requirements before it is provided to and approved by the certifier:

a. Council's Waste Management Development Control Plan

OR

b. details the following:

- the contact details of the person(s) removing the waste
- an estimate of the waste (type and quantity) and whether the waste is expected to be reused, recycled or go to landfill
- the address of the disposal location(s) where the waste is to be taken

The applicant must ensure the waste management plan is referred to in the construction site management plan and kept on-site at all times during construction.

18. Tree Removal

No trees or vegetation to be cleared or removed until a Construction Certificate has been issued.

19. Sediment and Erosion Control Management Plan required

The application for a Construction Certificate is to include plans and specifications that indicate the measures to be employed to control erosion and loss of sediment from the site. Control over discharge of stormwater and containment of run-off and pollutants leaving the site/premises must be undertaken through the installation of erosion control devices such as catch drains, energy dissipaters, level spreaders and sediment control devices such as filter fences and sedimentation basins.

Such plans and specifications must be approved as part of the Construction Certificate.

NOTE: The plans must be in compliance with Council's current "Northern Rivers Local Government Development Design & Construction Manuals and Standard Drawings".

The following conditions are to be complied with prior to any building or construction works commencing

20. Sediment and Erosion Control Management Plan required

Sediment and Erosion controls are to be in place in accordance with the approved Sediment and Erosion control Plan.

Sediment and erosion control measures in accordance with the approved Erosion and Sedimentation Control plan/s must be maintained at all times until the site has been stabilised by permanent vegetation cover or hard surface.

Any such measures that are deemed to be necessary because of the local conditions must be maintained at all times until the site is made stable (i.e. by permanent vegetation cover or hard surface).

Note: Council may impose on-the-spot fines for non-compliance with this condition.

21. Toilet facilities

Toilet facilities are to be provided, at or in the vicinity of the work site at the rate of one toilet for every 20 persons or part of 20 persons employed at the site. Each toilet provided must be a toilet connected to an accredited sewage management system approved by the Council.

22. Water service to be connected

A water service must be connected to the property using an approved backflow prevention device. It is the applicant's responsibility to engage a licensed plumber who shall liaise with council during this process.

Any new water service will be at the applicants cost.

The following conditions are to be complied with during any building or construction works

23. Hours of work

The principal certifier must ensure that building work, demolition or vegetation removal is only carried out between:

- 7am to 6pm on Monday to Friday.
- 8am to 1pm on Saturday.

The principal certifier must ensure building work, demolition or vegetation removal is not carried out on Sundays and public holidays, except where there is an emergency.

Unless otherwise approved within a construction site management plan, construction vehicles, machinery, goods or materials must not be delivered to the site outside the approved hours of site works.

Note: Any variation to the hours of work requires Council's approval.

24. Construction Noise

While building work is being carried out, and where a noise and vibration management plan is approved under this consent, the applicant must ensure that any noise generated from the site is controlled in accordance with the requirements of that plan.

OR

While building work is being carried out and where no noise and vibration management plan is approved under this consent, the applicant is to ensure that any noise caused by demolition, vegetation removal or construction does not exceed an LAeq (15 min) of 5dB(A) above background noise, when measured at any lot boundary of the property where the construction is being carried out.

25. Implementation of BASIX commitments

While building work is being carried out, the applicant must undertake the development strictly in accordance with the commitments listed in the BASIX certificate(s) approved by this consent, for the development to which the consent applies.

26. Signs to be erected on building and demolition sites

A sign must be erected in a prominent position on the work site:

- a. stating that unauthorised entry to the work site is prohibited, and
- b. showing the name of the person in charge of the work site and a telephone number at which that person may be contacted outside working hours.

Any such sign is to be removed when the work has been completed.

27. Builders rubbish to be contained on site

All builders rubbish is to be contained on the site in a 'Builders Skips' or an enclosure. Footpaths, road reserves and public reserves are to be maintained clear of rubbish, building materials and all other items.

28. Prevention of water pollution

Only clean and unpolluted water is to be discharged to Council's stormwater drainage system or any watercourse to ensure compliance with the Protection of Environment Operations Act.

Note: Council may impose on-the-spot fines for non-compliance with this condition.

29. Removal of asbestos

All asbestos wastes associated with removal of the existing dwelling to be disposed of in accordance with the requirements of the Workcover Authority. The applicant/owner is to produce documentary evidence that this condition has been met.

Please note the Byron Resource Recovery Centre can not accept asbestos. You will need to arrange disposal at an alternate landfill site.

30. Maintenance of sediment and erosion control measures

Sediment and erosion control measures must be maintained at all times until the site has been stabilised by permanent vegetation cover or hard surface.

31. Demolition

Any required demolition works must be undertaken in accordance with the relevant requirements of Australian Standard AS 2601–1991: The Demolition of Structures published by Standards Australia, and the WorkCover Authority of NSW.

32. All excavated soils to be disposed of off-site

All excavated soils to be disposed of off-site and in accordance with NSW EPA *Waste Classification Guidelines* (2014) and approved environmental management plans.

33. Removal of demolition and other wastes

All wastes, including asbestos and lead-contaminated wastes, associated with these works are to be handled and disposed of in accordance with the requirements of the Work Cover Authority. The applicant/owner is to produce documentary evidence that this condition has been met. Wastes must be disposed of at a Licenced Waste Facility. All wastes removed from the site must be managed and disposed of in accordance with the [NSW EPA Waste Classification Guidelines \(2014\)](#)

34. Excavated natural materials and demolition waste disposal

Any and all excavated natural materials and demolition and builders waste transported from the site must be accompanied (a copy kept with the transporter) by a [NSW Protection of The Environment Operations Act s143 Notice](#).

35. Aboriginal Relics

While demolition or building work is being carried out, all such works must cease immediately if a relic or Aboriginal object is unexpectedly discovered. The applicant must notify the Heritage Council of NSW in respect of a relic and notify the Secretary of the Department of Planning, Industry and Environment and the Heritage Council of NSW in respect of an Aboriginal object. Building work may recommence at a time confirmed by either the Heritage Council of NSW or the Secretary of the Department of Planning, Industry and Environment.

In this condition:

- “relic” means any deposit, artefact, object or material evidence that:
 - a. relates to the settlement of the area that comprises New South Wales, not being Aboriginal settlement, and
 - b. is of State or local heritage significance; and
- “Aboriginal object” means any deposit, object or material evidence (not being a handicraft made for sale) relating to the Aboriginal habitation of the area that comprises New South Wales, being habitation before or concurrent with (or both) the occupation of that area by persons of non-Aboriginal extraction and includes Aboriginal remains.

Site Location

The location of the building on the site to be established by a suitably qualified Surveyor and must comply with this approval including any required setbacks to boundaries.

The following conditions are to be complied with prior to occupation of the building

36. Works to be completed prior to issue of a Final Occupation Certificate

All of the works indicated on the plans and approved by this consent, including any other consents that are necessary for the completion of this development including approvals issued under the Local Government Act 1993 and the Roads Act 1993, are to be completed and approved by the relevant consent authority/s prior to the issue of a Final Occupation Certificate.

Any Security bond paid for this application will be held until Council is satisfied that no further works are to be carried out that may result in damage to Councils road/footpath reserve.

37. Plumbing Works

All works in relation to any associated Section 68 Water and Sewerage approval must be fully complied with and have a Final Plumbing Certificate issued prior to the issue of an Interim or Final Occupation Certificate.”

38. Access and parking areas to be completed.

The access and parking areas are to be constructed in accordance with the approved plans prior to the issue of an occupation certificate. A final completion letter for Roads Act consent 51.2020.628.1 must be obtained and a copy submitted to the Principal Certifying Authority prior to issue of an occupation certificate.

39. Completion of Building Works approved by 10.2020.628.1

A final occupation certificate must be obtained for the building works approved by development consent 10.2020.628.1 prior to issue of any occupation certificate for the subject consent. A copy of the final occupation certificate must be submitted with the application for an occupation certificate.

40. On-site Stormwater Detention – Certification of works

All stormwater drainage works, including on-site stormwater detention works, for the development must be constructed in accordance with the approved plans and specification prior to issue of an occupation certificate. Certificate/s of Compliance and Work-As-Executed (WAE) plans for the stormwater works must be submitted to the Principal Certifying Authority prior to the issue of an occupation certificate.

The certificate/s and WAE plans are to be prepared by a suitably qualified engineer and must be in accordance with Council's [Comprehensive Guidelines for Stormwater Management](#).

41. Site Location Survey

A final survey of the structures showing setbacks to boundaries to be submitted to the Private Certifier with the Occupation Certificate demonstrating compliance with the approved plans.

42. Compliance with bushfire conditions

Documentary evidence from a suitably qualified professional is to be submitted demonstrating that the bush fire conditions of this Notice of Determination have been complied with.

The following conditions are to be complied with at all times

43. Approved use

Dual Occupancy (detached) – Use of the development is approved for a dual occupancy (detached). Any activity other than that defined as dual occupancy (detached) must not be carried out unless development consent is sought.

Note. dual occupancy (detached) means 2 detached dwellings on one lot of land, but does not include a secondary dwelling, and dwelling means “a room or suite of rooms occupied or used or so constructed or adapted as to be capable of being occupied or used as a separate domicile”.

The dual occupancy (detached) is not approved as short-term rental accommodation, tourist and visitor accommodation or to be “holiday let”.

44. Site Waste Minimisation and Management

All works must comply with the objectives of waste minimisation and waste management of Part B8.1.2 of DCP 2014.

SCHEDULE 3. PRESCRIBED CONDITIONS

The prescribed conditions in accordance with Part 6 Division 8A of the Environmental Planning and Assessment Regulation as at the date of this development consent as are of relevance to this development must be complied with:

- Clause 98 Compliance with Building Code of Australia and insurance requirements under the Home Building Act 1989
- Clause 98A Erection of signs
- Clause 98B Notification of Home Building Act 1989 requirements
- Clause 98C Conditions relating to entertainment venues
- Clause 98D Condition relating to maximum capacity signage
- Clause 98E Condition relating to shoring and adequacy of adjoining property

Refer to the NSW State legislation for full text of the clauses under Part 6 Division 8A of the [Environmental Planning and Assessment Regulation 2000](http://www.legislation.nsw.gov.au). This can be accessed at <http://www.legislation.nsw.gov.au>.

SCHEDULE 4. REASONS FOR DECISION, HOW COMMUNITY VIEWS WERE ADDRESSED

Note: From July 1 2018, Council's are required to give and publicly notify reasons for a range of planning decisions where they are deciding if development should proceed to help community members to see how their views have been taken into account and improve accountability to stakeholders. A statement of reasons for the determination of this application is provided below.

Statement of Reasons
The proposed development complies with the provisions of Byron Local Environmental Plan 2014.
The proposed development complies with relevant State Environmental Planning Policies
The proposed development complies with relevant provisions of Development Control Plan 2014
The proposed development complies with Environmental Planning & Assessment Regulation 2000 considerations.
The proposed development will not have significant adverse impact on the natural, built or social environment or economic impacts on the locality.
The proposed development is considered suitable for the proposed site.
The development application was notified/advertised in accordance with Council's Community Participation Plan. Issues raised in the submissions have been addressed during assessment of the application.
The proposed development is unlikely to prejudice or compromise the public interest.
How community views were addressed
The DA was notified/advertised in accordance with Council's Community Participation Plan. No submissions were received.

SCHEDULE 5. NOTES

Construction Certificate required:

This development consent is issued under the Environmental Planning and Assessment Act 1979 and does not relate to structural aspects or specifications of the building under the Building Code of Australia. All buildings and alterations require the issue of a Construction Certificate prior to works commencing. Application forms are available from the customer services counter or Council's website www.byron.nsw.gov.au

Principal Certifying Authority:

Work must not commence until the applicant has:-

- a. appointed a Principal Certifying Authority (if the Council is not the PCA); and
- b. given Council at least two days notice of the intention to commence the erection of the building. Notice must be given by using the prescribed 'Form 7'.
- c. notified the Principal Certifying Authority of the Compliance with Part 6 of the Home Building Act 1989.

Occupation Certificate required:

The building must not be occupied until the Principal Certifying Authority has issued an Occupation Certificate.

Protection of the Environment Operations Act 1997:

It is an offence under the provisions of the Protection of the Environment Operations Act 1997 to act in a manner causing, or likely to cause, harm to the environment. Anyone allowing material to enter a waterway or leaving material where it can be washed off-site may be subject to a penalty infringement notice ("on-the-spot fine") or prosecution.

Penalties apply for failure to comply with development consents

Failure to comply with conditions of development consent may lead to an on the spot fine being issued pursuant to section 4.2(1) of the Environmental Planning & Assessment Act 1979 or prosecution pursuant to section 9.50 of the Environmental Planning & Assessment Act 1979.

Plumbing Standards and requirements.

All Plumbing, Water Supply, Sewerage and Stormwater Works shall be installed in accordance with the Local Government Act 1993, Plumbers Code of Australia and AS/NZS 3500 Parts 0-5, the approved plans (any notations on those plans) and the approved specifications. Any plumbing inspections required under a Section 68 Approval are to occur in accordance with that approval.

Relics Provisions- Advice

Attention is directed to the NSW Heritage Act 1977 and the provisions of the Act in relation to the exposure of relics. The Act requires that if:

- a relic is suspected, or there are reasonable grounds to suspect a relic in ground, that is likely to be disturbed damaged or destroyed by excavation; and/or
- any relic is discovered in the course of excavation that will be disturbed, damaged or destroyed by further excavation;

Those responsible for the discovery must notify nominated management personnel who will in turn notify the Heritage Council of New South Wales or its delegate, the Office of Environment and Heritage, NSW Heritage Branch, and suspend work that might have the effect of disturbing, damaging or destroying such relic until the requirements of the NSW Heritage Council have been satisfied (ss139, 146).

S7.11 Schedule of Development Contributions

The following contributions are current at the date of this consent. The contributions payable will be adjusted in accordance with the relevant plan and the **amount payable will be calculated on the basis of the contribution rates that are applicable at the time of payment.** The current contribution rates are available from Council offices during office hours. **Payments will only be accepted by cash or bank cheque.**

Section 7.11 contributions Schedule						
Mullumbimby						
Catchment						
This schedule was calculated in spreadsheet #E2021/99005						
1 bedroom units =		0	@	0.55 SDU	=	0
2 bedroom units =		0	@	0.75 SDU	=	0
3 bedroom units/dwellings =		2	@	1 SDU	=	2
Allotments =		0	@	1	=	0
Less Site Credits =		1	@	-1	=	-1
Total SDU					=	1
Schedule valid until		26 Oct 2022		After this date contact Council for CPI update.		
Local Open Space & Recreation	(OS-ML)	1.00	SDU @	\$ 13,117.47	=	\$ 13,117.47
LGA Wide Open Space & Recreation	(OS-SW)	1.00	SDU @	\$ 775.38	=	\$ 775.38
LGA wide Community Facilities	(CF-SW)	1.00	SDU @	\$ 1,135.63	=	\$ 1,135.63
Local Community Facilities	(CF-ML)	1.00	SDU @	\$ 223.30	=	\$ 223.30
Bikeways & Footpaths	(CW-ML)	1.00	SDU @	\$ 2,144.41	=	\$ 2,144.41
Shire Wide Bikeways & Footpaths	(CW-SW)	1.00	SDU @	\$ 83.30	=	\$ 83.30
Urban Roads	(R-ML)	1.00	SDU @	\$ 1,113.05	=	\$ 1,113.05
LGA Wide Roads	(R-SW)	1.00	SDU @	\$ 234.63	=	\$ 234.63
Rural Roads	#N/A	1.00	SDU @	\$ -	=	\$ -
Administration Levy	(OF-SW)	1.00	SDU @	\$ 1,172.83	=	\$ 1,172.83
Total						\$ 20,000.00

Water payments under the Water Management Act 2000

Charges will be calculated based on the additional water and sewerage load that the proposed development generates, shown in Equivalent Tenements (ET) by the following table:

ADDITIONAL WATER & SEWER LOAD OF DEVELOPMENT **(ET Policy 2018)**

Water	1.00 ET
Sewer	1.00 ET

NB: Information regarding Development Servicing charges can be found on the Byron Shire Council website (<https://www.byron.nsw.gov.au/Services/Water-sewer/Plumbers-and-developers/Calculate-the-cost-of-an-Equivalent-Tenement#section-3>).

These charges will enable you to calculate the total contribution charges payable when you are ready to pay them. Developer charges will be calculated in accordance with the Development Servicing Plan applicable at the date of payment.

Dial Before You Dig

Underground assets may exist in the area that is subject to your application. In the interests of health and safety and in order to protect damage to third party assets please contact Dial before you dig at www.1100.com.au or telephone on 1100 before excavating or erecting structures (This is the law in NSW). If alterations are required to the configuration, size, form or design of the development upon contacting the Dial before You Dig service, an amendment to the development consent (or a new development application) may be necessary. Individuals owe asset owners a duty of care that must be observed when working in the vicinity of plant or assets. It is the individual's responsibility to anticipate and request the nominal location of plant or assets on the relevant property via contacting the Dial before you dig service in advance of any construction or planning activities.

Telecommunications Act 1997 (Commonwealth) Telstra (and its authorised contractors) are the only companies that are permitted to conduct works on Telstra's network and assets. Any person interfering with a facility or installation owned by Telstra is committing an offence under the Criminal Code Act 1995 (Cth) and is liable for prosecution.

Furthermore, damage to Telstra's infrastructure may result in interruption to the provision of essential services and significant costs. If you are aware of any works or proposed works which may affect or impact on Telstra's assets in any way, you are required to contact :Telstra's Network Integrity Team on Phone Number 1800810443.

Are you dissatisfied with conditions of consent

If you are unhappy with conditions of consent discuss your concerns with the officer who dealt with your application. You may submit an application to Council to modify the consent under Section 4.55 of the Environmental Planning & Assessment Act, 1979.

You will need to provide reasons why the conditions should be changed or deleted. You may lodge a Section 4.55 application at any time after the notice of determination. If you are not happy with Council's decision on your request for modification, then you may appeal to the Land & Environment Court within six (6) months of the notification by Council.

Right of Review

You may request Council to review its decision under Section 8.2 of the Environmental Planning and Assessment Act, 1979. Such a request must be made within six (6) months of the date of the determination, or if there is an appeal to the Land and Environment Court, up to the time when the court hands down its decision. In reviewing its decision Council is able to consider alterations to the above plans, provided that the Development Application remains substantially the same as the one for which the consent was originally sought, and the changes are publicly notified.

Right of Appeal

If you are dissatisfied with this decision, Section 8.7 of the *Environmental Planning and Assessment Act 1979* gives you the right to appeal to the Land and Environment Court within six (6) months after the date on which you receive this notice.

Signed on behalf of the Consent Authority

Yours faithfully

A handwritten signature in black ink, appearing to read 'L Wall', written in a cursive style.

Mr L Wall
Gateway Planner

Dated: 19 October 2022