



Approximate

INSET 1 - REFER SHEET 02 FOR STORMWATER DETAIL

EXISTING
AUDITORIUM

Proposed
extension

Subject Site

CENTENNIAL CIRCUIT

KEY:

- EXISTING BOUNDARY
- S/W EXISTING STORMWATER PIPE
- S/W PROPOSED STORMWATER PIPE
- PROPOSED STORMWATER GULLY

REV	REVISION DESCRIPTION	BY	DATE
0	FOR CONSTRUCTION	SA	18/12/2023
1	FOR CONSTRUCTION	SA	19/12/2023
2	FOR CONSTRUCTION	SA	11/01/2024

THIS DRAWING IS CONFIDENTIAL AND IS THE PROPERTY OF GREG ALDERSON AND ASSOCIATES. IT MUST NOT BE DISCLOSED TO A THIRD PARTY, REPRODUCED, COPIED, OR LENT WITHOUT THE WRITTEN CONSENT OF THE PROPRIETOR.

DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS

REFER COVER SHEET FOR NOTES UNLESS NOTED OTHERWISE

GREG ALDERSON & ASSOCIATES
ABN 58 594 160 789
43 Main Street CLUNES NSW 2480
Ph: 02 6629 1552
E: office@aldersonassociates.com.au
Web: aldersonassociates.com.au

Client:
EASTGATE CHURCH

Site address:
20 CENTENNIAL CIRCUIT
BYRON BAY
NSW 2481.

Title:
COCNEPT STORMWATER PLAN
(GLOBAL VIEW)

Project:
PROPOSED DEVELOPMENT

FOR CONSTRUCTION WHEN STAMPED BY AN APPROVAL AUTHORITY

Drawn: SA	Scale: 1:500	Checked:	Date: 11/01/2024
Checked: AE	Original Size: A3	No. in set: 01 of 02	Revision: 2
Job Number: 23439	Drawing Number: 23439-CIV-CC-01		

1. Provide minimum of 1% fall for all stormwater pipes
2. Provide minimum pipe covers in accordance with AS3500.3.2003 Plumbing & Drainage, Part 3: Stormwater Drainage, NRG specifications and Council DCP requirements.
3. All services are to be located in the field in conjunction with a responsible officer of each relevant authority prior to the commencement of construction.
4. PVC pipes to be installed in accordance with NRG specifications and AS2032
5. Drainage is to comply with relevant standards including AS3500.3.2003 Plumbing & Drainage, Part 3: Stormwater Drainage, NRG specifications and Council DCP requirements.
6. All bare soil areas are to be protected from erosion by temporary measures and re-vegetated at the cessation of construction.
7. These plans are diagrammatic and show the general location of pipework. Works shall be set out on site by the site foreman. If in doubt, ask the superintendent who shall consult the designer.
8. All excavations, trenching, shoring etc. to be undertaken in accordance with "Excavation Work – Code of practice July 2012" by Safe Work Australia and other relevant codes and standards.

