

NOTICE OF DETERMINATION OF A DEVELOPMENT APPLICATION

Application No.	10.2023.208.1 PAN-337474
Applicant	Mr G B Porter
Property	17 New City Road MULLUMBIMBY LOT: 19 DP: 1179670
Development	Alterations and Additions to an Existing Dwelling House and Secondary Dwelling including House Raising
Determination	Approved Consent Authority - Byron Shire Council
Date of determination	14 July 2023
Date from which the consent operates	18 July 2023
Date on which the consent lapses	18 July 2028

Under section 4.18(1) of the EP&A Act, notice is given that the above development application has been determined by the granting of consent using the power in section 4.16(1)(a) of the EP&A Act, subject to the conditions specified in this notice.

Reason for conditions

The conditions imposed have been included in response to development considerations and to ensure a high standard of development having regard to the effect upon the environment and the amenity of the neighborhood.

Right of appeal / review of determination

If you are dissatisfied with this determination:

Request a review

You may request a review of the consent authority's decision under section 8.3(1) of the EP&A Act. The application must be made to the consent authority within 6 months from the date that you received the original determination notice provided that an appeal under section 8.7 of the EP&A Act has not been disposed of by the Court.

Rights to appeal

You have a right under section 8.7 of the EP&A Act to appeal to the Court within 6 months after the date on which the determination appealed against is notified or registered on the NSW planning portal.

Signed on behalf of the Consent Authority

Gregory Smith
Team Leader Planning Services



SCHEDULE 1. CONDITIONS OF CONSENT

Parameters of consent

1. Approved plans and supporting documentation

Development must be carried out in accordance with the following approved plans and supporting documentation (stamped by Council), except where the conditions of this consent expressly require otherwise.

Plan No.	Revision No.	Title	Drawn by	Dated
DA01	-	Site Plan	Luis Cristia Designs	30/05/2023
DA04	-	First Floor Plan	Luis Cristia Designs	30/05/2023
DA05	-	Lower Floor Plan	Luis Cristia Designs	30/05/2023
DA06	-	Elevations	Luis Cristia Designs	30/05/2023
DA07	-	Section & Elevations	Luis Cristia Designs	30/05/2023
DA08	-	Elevations & Section	Luis Cristia Designs	30/05/2023
-	-	Acid Sulfate Soils Management Plan	Graham Porter	30/5/2023

In the event of any inconsistency between the approved plans and the supporting documentation, the approved plans prevail. In the event of any inconsistency between the approved plans and a condition of this consent, the condition prevails.

Note: an inconsistency occurs between an approved plan and supporting documentation or between an approved plan and a condition when it is not possible to comply with both at the relevant time.

2. Payment of security deposits

Before the commencement of any works on the site or the issue of a construction certificate, the applicant must make all of the following payments to Council and provide written evidence of these payments to the certifier:

Security deposit	\$3,000
Inspection fee	\$215

The payments will be used for the cost of:

- making good any damage caused to any council property (including street trees) as a consequence of carrying out the works to which the consent relates,
- completing any public work such as roadwork, kerbing and guttering, footway construction, stormwater drainage and environmental controls, required in connection with this consent, and
- any inspection carried out by Council in connection with the completion of public work or the making good any damage to council property.

Note: The inspection fee includes Council's fees and charges and includes the Public Road and Footpath Infrastructure Inspection Fee (under the *Roads Act 1993*). The amount payable must be in accordance with council's fees and charges at the payment date.

3. Car Parking to be available for the approved use

Two (2) car parking spaces are to be provided and maintained for the principal dwelling, together with all necessary access driveways.

4. **Support for neighbouring buildings**

If an excavation extends below the level of the base of the footings of a building on an adjoining allotment of land, the person causing the excavation to be made or builder must:

- a. Inform the neighbouring property owner immediately.
- b. Engage a structural engineer to determine any remedial works that may need to be undertaken.
- c. Preserve and protect the adjoining building from damage.
- d. If necessary, underpin and support the building in an approved manner.

5. **Conditions prescribed by the Regulation**

This development consent is subject to the conditions prescribed by the regulations in accordance with subsection 4.17(11) of the Environmental Planning and Assessment Act 1979. Conditions are provided in **Schedule 2** of this consent.

The following conditions are to be complied with prior to issue of a Construction Certificate for building works

6. **Construction site management plan**

Before the issue of a construction certificate, the applicant must ensure a construction site management plan is prepared before it is provided to and approved by the certifier. The plan must include the following matters:

- location and materials for protective fencing and hoardings to the perimeter on the site
- provisions for public safety
- pedestrian and vehicular site access points and construction activity zones
- details of construction traffic management, including proposed truck movements to and from the site and estimated frequency of those movements, and measures to preserve pedestrian safety in the vicinity of the site
- protective measures for on-site tree preservation (including in accordance with AS 4970-2009 Protection of trees on development sites and Council's DCP, if applicable) and trees in adjoining public domain (if applicable)
- details of any bulk earthworks to be carried out
- location of site storage areas and sheds
- equipment used to carry out all works
- a garbage container with a tight-fitting lid
- dust, noise and vibration control measures
- location of temporary toilets.

The applicant must ensure a copy of the approved construction site management plan is kept on-site at all times during construction.

7. **Water and Sewerage - Section 68 approval required**

If required, an **Approval** under Section 68 of the Local Government Act 1993 to carry out water supply work and sewerage work must be obtained.

8. **Stormwater Drainage – Connection to Existing Drainage System**

The application for a Construction Certificate is to include plans and specifications for stormwater drainage in accordance with AS/NZS 3500.3:2003, *Plumbing and drainage, Part 3: Stormwater drainage*. All stormwater drainage for the development must be conveyed by a gravity system to the existing stormwater drainage system within the site. Such plans and specifications must be approved as part of the Construction Certificate.

9. **Flood Planning Level**

The flood planning level for this development is 4.01m A.H.D. The plans and specifications to accompany the construction certificate application are to indicate a minimum habitable floor level that is at, or up to 0.3m above, the flood planning level unless a greater floor level has been shown on the plans approved by the development consent.

The plans and specifications to accompany the construction certificate application are to also indicate the use of flood compatible materials and services below the flood planning level in accordance with the requirements of Council's Development Control Plan 2014 – Chapter C2 – Areas Affected by Flood.

Any sub floor screening/enclosure must have suitable openings to ensure flood waters are not restricted (i.e. minimum 50% opening below the flood planning level).

Such plans and specifications must be approved as part of the Construction Certificate.

10. **Compliance with BASIX Certificate requirements**

The development is to comply with Basix Certificate No. A497275, dated 30/5/2023.

The commitments indicated in the Certificate are to be indicated on the plans submitted for approval of the Construction Certificate.

The plans submitted must clearly indicate all windows numbered or identified in a manner that is consistent with the identification on the Basix Certificate.

Minor changes to the measures may be undertaken without the issue of any amendment under Section 4.55 of the Act, provided that the changes do not affect the form, shape or size of the building.

Such plans and specifications must be approved as part of the Construction Certificate.

11. **Long Service Levy to be paid**

In accordance with Section 6.8 of the Environmental Planning and Assessment Act 1979 (as amended), a Construction Certificate for SUBDIVISION WORKS OR BUILDING WORKS shall NOT be issued until any Long Service Levy payable under Section 34 of the Building and Construction Industry Long Service Payments Act, 1986 (or where such levy is payable by instalments, the first instalment of the levy) has been paid (as applicable).

These payments can be made online at www.longservice.nsw.gov.au. Proof of payment is required to be submitted with the Construction Certificate application.

For further information regarding the Long Service Payment please refer to the website above.

12. **Waste Management Plan**

Before the issue of a construction certificate, the applicant is to ensure that a waste management plan is prepared in accordance with the EPA's Waste Classification Guidelines and the following requirements before it is provided to and approved by the certifier:

a. Council's Waste Management Development Control Plan

OR

b. details the following:

- the contact details of the person(s) removing the waste

- an estimate of the waste (type and quantity) and whether the waste is expected to be reused, recycled or go to landfill
- the address of the disposal location(s) where the waste is to be taken

The applicant must ensure the waste management plan is referred to in the construction site management plan and kept on-site at all times during construction.

13. **Tree Removal**

No trees or vegetation to be cleared or removed until a Construction Certificate has been issued.

The following conditions are to be complied with prior to any building or construction works commencing

14. **Erosion and Sediment measures**

Erosion and sedimentation controls are to be in place in accordance with the Guidelines for Erosion & Sediment Control on Building Sites. A copy may be downloaded from Council's web site. Particular attention is to be given to the provision of the following sediment and erosion control measures:

- Temporary driveway from the edge of road to the building site;
- Temporary downpipes immediately installed after the roof has been erected;
- Silt fence or sediment barrier.

Sediment and erosion control measures must be maintained at all times until the site has been stabilised by permanent vegetation cover or hard surface.

Note: Council may impose on-the-spot fines for non-compliance with this condition.

The following conditions are to be complied with during any building or construction works

15. **Hours of work**

The principal certifier must ensure that building work, demolition or vegetation removal is only carried out between:

- 7am to 6pm on Monday to Friday.
- 8am to 1pm on Saturday.

The principal certifier must ensure building work, demolition or vegetation removal is not carried out on Sundays and public holidays, except where there is an emergency.

Unless otherwise approved within a construction site management plan, construction vehicles, machinery, goods or materials must not be delivered to the site outside the approved hours of site works.

Note: Any variation to the hours of work requires Council's approval.

16. **Construction Noise**

While building work is being carried out, and where a noise and vibration management plan is approved under this consent, the applicant must ensure that any noise generated from the site is controlled in accordance with the requirements of that plan.

OR

While building work is being carried out and where no noise and vibration management plan is approved under this consent, the applicant is to ensure that any noise caused by

demolition, vegetation removal or construction does not exceed an LAeq (15 min) of 5dB(A) above background noise, when measured at any lot boundary of the property where the construction is being carried out.

17. Implementation of BASIX commitments

While building work is being carried out, the applicant must undertake the development strictly in accordance with the commitments listed in the BASIX certificate(s) approved by this consent, for the development to which the consent applies.

18. Signs to be erected on building and demolition sites

A sign must be erected in a prominent position on the work site:

- a. stating that unauthorised entry to the work site is prohibited, and
- b. showing the name of the person in charge of the work site and a telephone number at which that person may be contacted outside working hours.

Any such sign is to be removed when the work has been completed.

19. Builders rubbish to be contained on site

All builders rubbish is to be contained on the site in a 'Builders Skips' or an enclosure. Footpaths, road reserves and public reserves are to be maintained clear of rubbish, building materials and all other items.

20. Prevention of water pollution

Only clean and unpolluted water is to be discharged to Council's stormwater drainage system or any watercourse to ensure compliance with the Protection of Environment Operations Act.

Note: Council may impose on-the-spot fines for non-compliance with this condition.

21. Removal of asbestos

All asbestos wastes associated with removal of the existing dwelling to be disposed of in accordance with the requirements of the Workcover Authority. The applicant/owner is to produce documentary evidence that this condition has been met.

Please note the Byron Resource Recovery Centre can not accept asbestos. You will need to arrange disposal at an alternate landfill site.

22. Maintenance of sediment and erosion control measures

Sediment and erosion control measures must be maintained at all times until the site has been stabilised by permanent vegetation cover or hard surface.

23. Demolition

Any required demolition works must be undertaken in accordance with the relevant requirements of Australian Standard AS 2601–1991: The Demolition of Structures published by Standards Australia, and the WorkCover Authority of NSW.

24. Removal of demolition and other wastes

All wastes, including asbestos and lead-contaminated wastes, associated with these works are to be handled and disposed of in accordance with the requirements of the Work Cover Authority. The applicant/owner is to produce documentary evidence that this condition has been met. Wastes must be disposed of at a Licenced Waste Facility. All wastes removed

from the site must be managed and disposed of in accordance with the [NSW EPA Waste Classification Guidelines \(2014\)](#)

25. Aboriginal Relics

While demolition or building work is being carried out, all such works must cease immediately if a relic or Aboriginal object is unexpectedly discovered. The applicant must notify the Heritage Council of NSW in respect of a relic and notify the Secretary of the Department of Planning, Industry and Environment and the Heritage Council of NSW in respect of an Aboriginal object. Building work may recommence at a time confirmed by either the Heritage Council of NSW or the Secretary of the Department of Planning, Industry and Environment.

In this condition:

- “relic” means any deposit, artefact, object or material evidence that:
 - a. relates to the settlement of the area that comprises New South Wales, not being Aboriginal settlement, and
 - b. is of State or local heritage significance; and
- “Aboriginal object” means any deposit, object or material evidence (not being a handicraft made for sale) relating to the Aboriginal habitation of the area that comprises New South Wales, being habitation before or concurrent with (or both) the occupation of that area by persons of non-Aboriginal extraction and includes Aboriginal remains.

The following conditions are to be complied with prior to occupation of the building

26. Works to be completed prior to issue of a Final Occupation Certificate

All of the works indicated on the plans and approved by this consent, including any other consents that are necessary for the completion of this development including approvals issued under the Local Government Act 1993 and the Roads Act 1993, are to be completed and approved by the relevant consent authority/s prior to the issue of a Final Occupation Certificate.

Any Security bond paid for this application will be held until Council is satisfied that no further works are to be carried out that may result in damage to Council's road/footpath reserve.

27. Plumbing Works

All works in relation to any associated Section 68 Water and Sewerage approval must be fully complied with and have a Final Plumbing Certificate issued prior to the issue of an Interim or Final Occupation Certificate.

28. Stormwater drainage work

Stormwater drainage for the development must be constructed in accordance with the approved plans and specification prior to issue of an occupation certificate.

29. Floor Levels – Certification for Flooding

Prior to the issue of any Occupation Certificate, a certificate from a registered surveyor must be submitted to the Principal Certifying Authority confirming the height of habitable and non-habitable floors. An Occupation Certificate must not be issued unless the floor levels are at or above the relevant flood planning levels. A copy of the floor level certification from the registered surveyor must also be submitted to Council for the attention of Council's Drainage and Flood Engineer.

SCHEDULE 2. PRESCRIBED CONDITIONS

The prescribed conditions in accordance with Division 2, Subdivision 1 of the Environmental Planning and Assessment Regulation 2021 as at the date of this development consent as are of relevance to this development must be complied with:

- [69](#) Compliance with Building Code of Australia and insurance requirements under the Home Building Act 1989
- [70](#) Erection of signs
- [71](#) Notification of Home Building Act 1989 requirements
- [72](#) Entertainment venues
- [73](#) Maximum capacity signage
- [74](#) Condition relating to shoring and adequacy of adjoining property
- [75](#) Fulfilment of BASIX commitments

Refer to the [Environmental Planning and Assessment Regulation 2021](#), Division 2, Subdivision 1 of for full text of the above clauses. This can be accessed at <http://www.legislation.nsw.gov.au>.

SCHEDULE 3. REASONS FOR DECISION, HOW COMMUNITY VIEWS WERE ADDRESSED

Note: From July 1 2018, Council's are required to give and publicly notify reasons for a range of planning decisions where they are deciding if development should proceed to help community members to see how their views have been taken into account and improve accountability to stakeholders. A statement of reasons for the determination of this application is provided below.

Statement of Reasons

- The proposed development complies with the provisions of Byron Local Environmental Plan 2014.
- The proposed development complies with relevant State Environmental Planning Policies
- The proposed development complies with relevant provisions of Development Control Plan 2014
- The proposed development complies with Environmental Planning & Assessment Regulation 2000 considerations.
- The proposed development will not have significant adverse impact on the natural, built or social environment or economic impacts on the locality.
- The proposed development is considered suitable for the proposed site.
- The development application was exhibited in accordance with Council's Community Participation Plan. No submissions were received.
- The proposed development is unlikely to prejudice or compromise the public interest.

How community views were addressed

- The DA was notified/advertised in accordance with Council's Community Participation Plan. No submissions were received.

SCHEDULE 4. NOTES

Construction Certificate required:

This development consent is issued under the Environmental Planning and Assessment Act 1979 and does not relate to structural aspects or specifications of the building under the Building Code of Australia. All buildings and alterations require the issue of a Construction Certificate prior to works commencing.

Application for a Construction Certificate must be made online using the [NSW Planning Portal](#).

Principal Certifying Authority:

Work must not commence until the applicant has: -

- a. appointed a Principal Certifying Authority (if the Council is not the PCA); and
- b. given Council at least two days' notice of the intention to commence the erection of the building. Notice must be given by using the prescribed 'Form 7'.

- c. notified the Principal Certifying Authority of the Compliance with Part 6 of the Home Building Act 1989.

Occupation Certificate required:

The building must not be occupied until the Principal Certifying Authority has issued an Occupation Certificate.

Protection of the Environment Operations Act 1997:

It is an offence under the provisions of the Protection of the Environment Operations Act 1997 to act in a manner causing, or likely to cause, harm to the environment. Anyone allowing material to enter a waterway or leaving material where it can be washed off-site may be subject to a penalty infringement notice ("on-the-spot fine") or prosecution.

Penalties apply for failure to comply with development consents

Failure to comply with conditions of development consent may lead to an on the spot fine being issued pursuant to section 4.2(1) of the Environmental Planning & Assessment Act 1979 or prosecution pursuant to section 9.50 of the Environmental Planning & Assessment Act 1979.

Plumbing Standards and requirements.

All Plumbing, Water Supply, Sewerage and Stormwater Works shall be installed in accordance with the Local Government Act 1993, Plumbers Code of Australia and AS/NZS 3500 Parts 0-5, the approved plans (any notations on those plans) and the approved specifications. Any plumbing inspections required under a Section 68 Approval are to occur in accordance with that approval.

Relics Provisions- Advice

Attention is directed to the NSW Heritage Act 1977 and the provisions of the Act in relation to the exposure of relics. The Act requires that if:

- a) a relic is suspected, or there are reasonable grounds to suspect a relic in ground, that is likely to be disturbed damaged or destroyed by excavation; and/or
- b) any relic is discovered in the course of excavation that will be disturbed, damaged or destroyed by further excavation;

Those responsible for the discovery must notify nominated management personnel who will in turn notify the Heritage Council of New South Wales or its delegate, the Office of Environment and Heritage, NSW Heritage Branch, and suspend work that might have the effect of disturbing, damaging or destroying such relic until the requirements of the NSW Heritage Council have been satisfied (ss139, 146).

General Advisory Notes

Dial Before You Dig

Underground assets may exist in the area that is subject to your application. In the interests of health and safety and in order to protect damage to third party assets please contact Dial before you dig at www.1100.com.au or telephone on 1100 before excavating or erecting structures (This is the law in NSW). If alterations are required to the configuration, size, form or design of the development upon contacting the Dial before You Dig service, an amendment to the development consent (or a new development application) may be necessary. Individuals owe asset owners a duty of care that must be observed when working in the vicinity of plant or assets. It is the individual's responsibility to anticipate and request the nominal location of plant or assets on the relevant property via contacting the Dial before you dig service in advance of any construction or planning activities.

Telecommunications Act 1997 (Commonwealth) Telstra (and its authorised contractors) are the only companies that are permitted to conduct works on Telstra's network and assets. Any person interfering with a facility or installation owned by Telstra is committing an offence under the Criminal Code Act 1995 (Cth) and is liable for prosecution.

Furthermore, damage to Telstra's infrastructure may result in interruption to the provision of essential services and significant costs. If you are aware of any works or proposed works which may affect or impact on Telstra's assets in any way, you are required to contact Telstra's Network Integrity Team on Phone Number 1800 810 443.

The Environmental Planning and Assessment Act 1979 requires you to:

1. For building works, obtain a **Construction Certificate** prior to the commencement of any works. An application may be lodged with Council, or you may apply to a private accredited certifier for a Construction Certificate.

For subdivision works, obtain a **Subdivision Works Certificate** prior to the commencement of any works. An application may be lodged with Council, or you may apply to a private accredited certifier for a Subdivision Works Certificate.

An accredited certifier **must obtain Council's approval** to certain conditions of this development consent, where indicated before issuing the above Certificates.

All applications must be lodged via the [NSW Planning Portal](#).

2. Nominate a **Principal Certifier** which may be either Council or a registered certifier and notify Council of that appointment. You **cannot lawfully commence works** without complying with this requirement. Appointment must be made through the [NSW Planning Portal](#)
3. Give Council at least two days' notice of your intention to commence the erection of a building before commencing construction works. You cannot lawfully commence works without complying with this requirement.
4. Obtain an **Occupation Certificate** before commencing occupation or commencing to use the building or on the completion of other works including the erection of a sign. You cannot lawfully commence occupation or the use of a building without complying with this requirement.

All applications must be lodged via the [NSW Planning Portal](#).

You may also need to:

5. Lodge an Application for Subdivision to obtain a Subdivision Certificate if a land (including stratum) subdivision is proposed and an Application for Subdivision to obtain Strata Title Subdivision under the relevant Strata Titles Act if strata title of the development is proposed.
6. Carry out critical stage inspections in accordance with Section 6.5 of the EP&A Act 1979 and clauses 61, 63 and 65 of the Environmental Planning and Assessment (Development Certification and Fire Safety) Regulation 2021.