



12 April 2021

**NOTICE OF DETERMINATION
OF AN APPLICATION TO MODIFY A DEVELOPMENT CONSENT**
Under Section 4.55 of the Environmental Planning and Assessment Act 1979

Application No - 10.2020.86.2

Mr M Scott
Consultant Town Planner
440 Dorroughby Road
DORROUGHBY NSW 2480

Email: mscott@spot.com.au

Proposed modification description:	S4.55 to Modify Location of Sheds and Change Conditions 11, 13 and 14
Property description:	LOT: 5 DP: 594645 68 St Helena Road MCLEODS SHOOT
DA No.:	10.2020.86.1
Determination:	Approved subject to the following conditions
Date determined:	8 April 2021

Amended conditions

MODIFIED CONDITIONS OF CONSENT:

Delete the following conditions:

Details of condition/s:

- Development is to be in accordance with approved plans**
The development is to be in accordance with plans listed below:

Plan No.	Description	Prepared by	Dated:
SK1d	Concept Site Plan	AGS Commercial	20.01.20
SK2c	Concept Site Plan	Concept Views	20.01.20
C03 – Issue 0	Typical Sections & Details	MDE	31/01/20
C04 – Issue 0	Detail Plan	MDE	31/01/20
C05 – Issue 0	Stormwater Longitudinal Section	MDE	31/01/20
C07 – Issue 0	Earthworks Cut & Fill	MDE	31/01/20
C08 – Issue 0	Erosion & Sediment Control Plan	MDE	31/01/20

The development is also to be in accordance with any changes shown in red ink on the approved plans or conditions of consent.

The approved plans and related documents endorsed with the Council stamp and authorised signature must be kept on site at all times while work is being undertaken.

2. **Staged Development**

The development is to be carried out in the following stages, or combined into a single stage:

Stage 1: Shed 2

Stage 2: Shed 1

Where conditions are required to be satisfied prior to a particular event, those conditions are the conditions relevant to the works being carried out in the stage.

The relevant conditions are the conditions deemed necessary, by the Principal Certifying Authority (PCA) appointed for the development, or, where pursuant to the issue of a Construction Certificate, the relevant consent authority.

11. **Consent required for works within the road reserve**

Consent from Council must be obtained for works within the road reserve pursuant to Section 138 of the Roads Act 1993. Three (3) copies of engineering construction plans must accompany the application for consent for works within the road reserve.

Such plans are to be in accordance with Council's current Design & Construction Manuals and are to provide for the following works:

Driveway

A driveway in accordance with Type 1 of RMS Standard drawing 19.07.2016.

Pavement and seal widening

Road pavement widening to provide a total carriageway width of 6.2m with 0.5m sealed shoulder and associated drainage construction including any necessary relocation of services across the full frontage of the site.

12. **Traffic Control Plan**

Consent from Council must be obtained for a Traffic Control Plan pursuant to Section 138 of the Roads Act 1993. The plans and specifications are to include the measures to be employed to control traffic (inclusive of construction vehicles) during construction. The traffic control plan is to be designed in accordance with the requirements of the Roads and Traffic Authority's Manual, Traffic Control at Work Sites Version 2, and the current Australian Standards, Manual of Uniform Traffic Control Devices Part 3, 'Traffic Control Devices for Works on Roads'.

The plan shall incorporate measures to ensure that motorists using road adjacent to the development, residents and pedestrians in the vicinity of the development are subjected to minimal time delays due to construction on the site or adjacent to the site.

The traffic control plan must be prepared by a suitably qualified and RTA accredited Work Site Traffic Controller.

13. **Car parking layout, vehicle circulation and access plans required.**

The application for a Construction Certificate is to include plans and specification that indicate access, parking and manoeuvring details in accordance with the plans approved by this consent.

The access, parking and manoeuvring for the site is to comply with the requirements of AS 2890.1-2004: Parking facilities, Part 1: Off-street car parking and AS 2890.2 – 2010 - Parking facilities, Part 2: Off-street commercial vehicle facilities. Plans are to include, but not be limited to, the following items:

- a) 4m wide access with passing bays every 200m;
- b) gradients in excess of 12% are to be bitumen or concrete sealed;
- c) pavement design, comprising an all weather surface, such as asphalt, bitumen seal, concrete, pavers or other similar treatment;

- d) site conditions affecting the access;
- e) existing and design levels;
- f) longitudinal section from the road centreline to the car space(s);
- g) cross sections every 15 metres;
- h) drainage details; and
- i) turning paths.

The engineering plans and specifications are to be designed by a qualified practising Civil Engineer. The Civil Engineer is to be a corporate member of the Institution of Engineers Australia or is to be eligible to become a corporate member and have appropriate experience and competence in the related field.

Such plans and specifications must be approved as part of the Construction Certificate.

NOTE: The plans must be in compliance with Council's current "Northern Rivers Local Government Development Design & Construction Manuals and Standard Drawings"

14. **Landscaped screen - Amendment to the plan required**

The plans submitted for approval of the Construction Certificate must be amended to include a landscaped screen to be planted between the western elevation of the Storage Sheds and the western property boundary of the adjoining property to the west and must include plants that will achieve a minimum mature height of 5m.

Such plans are to be approved as part of the Construction Certificate.

Insert the following conditions in appropriate order:

Details of conditions:

1. **Development is to be in accordance with approved plans**

The development is to be in accordance with plans listed below:

Plan No.	Description	Prepared by	Dated:
C02 – Issue 5	Site Layout Plan	MDE	20/08/20
C03 – Issue 5	Typical Sections & Details	MDE	20/08/20
C04 – Issue 5	Site Layout plan	MDE	20/08/20
C05 – Issue 5	Stormwater Longitudinal Section	MDE	20/08/20
C07 – Issue 5	Earthworks Cut & Fill	MDE	20/08/20
C08 – Issue 5	Erosion & Sediment Control Plan	MDE	20/08/20
C10 – Issue 5	Site access driveway plan	MDE	20/8/20
21188-DA-DRVW.C01	Site overview	Greg Alderson and Associates	11/3/21
21188-DA-DRVW.C02	Parking Facility	Greg Alderson and Associates	11/3/21

The development is also to be in accordance with any changes shown in red ink on the approved plans or conditions of consent.

The approved plans and related documents endorsed with the Council stamp and authorised signature must be kept on site at all times while work is being undertaken.

11. Consent required for works within the road reserve

Consent from Council must be obtained for works within the road reserve pursuant to Section 138 of the Roads Act 1993. Three (3) copies of engineering construction plans must accompany the application for consent for works within the road reserve.

Such plans are to be in accordance with Council's current Design & Construction Manuals and are to provide for the following works:

Driveway

A driveway in accordance with Type 1 of RMS Standard drawing 19.07.2016.

Pavement and seal widening

St Helena Road pavement widening to provide a modified Rural BAR and associated drainage construction in accordance with Greg Alderson drawing 21188-DA-DRVW.C01 rev A dated 11/3/21

12. Traffic Management Plan

Consent from Council must be obtained for a Traffic Management Plan pursuant to Section 138 of the Roads Act 1993. The plans and specifications are to include the measures to be employed to control traffic (inclusive of construction vehicles) during construction of the development. The traffic management plan is to be designed in accordance with the requirements of the Roads and Traffic Authority's Manual, Traffic Control at Work Sites Version 2, and the current Australian Standards, Manual of Uniform Traffic Control Devices Part 3, 'Traffic Control Devices for Works on Roads'.

The report must incorporate measures and TCP to ensure that motorists using road adjacent to the development, residents and pedestrians in the vicinity of the development are subjected to minimal time delays due to construction on the site or adjacent to the site.

The traffic management plan must be prepared by a suitably qualified and RTA accredited Work Site Traffic Controller.

13. Car parking layout, vehicle circulation and access plans required.

The application for a Construction Certificate is to include plans and specification that indicate access, parking and manoeuvring details in accordance with the plans approved by this consent.

The access, parking and manoeuvring for the site is to comply with the requirements of AS 2890.1-2004: Parking facilities, Part 1: Off-street car parking and AS 2890.2 – 2010 - Parking facilities, Part 2: Off-street commercial vehicle facilities. Plans are to include, but not be limited to, the following items:

- a) 3.5m wide access with passing bays every 200m;
- b) pavement design, comprising an all weather surface, such as asphalt, bitumen seal, concrete, pavers or other similar treatment;
- c) site conditions affecting the access;
- d) existing and design levels;
- e) longitudinal section from the road centreline to the car space(s);
- f) cross sections every 15 metres;
- g) drainage details; and
- h) turning paths.

The engineering plans and specifications are to be designed by a qualified practising Civil Engineer. The Civil Engineer is to be a corporate member of the Institution of Engineers Australia or is to be eligible to become a corporate member and have appropriate experience and competence in the related field.

Such plans and specifications must be approved as part of the Construction Certificate.

NOTE: The plans must be in compliance with Council's current "Northern Rivers Local Government Development Design & Construction Manuals and Standard Drawings"

Enclosed for your information is the amended plan (where applicable) and consent.

Please note that modification of this consent under Section 4.55 of the Environmental Planning and Assessment Act may require amendment to any Construction Certificate for this development (if a Construction Certificate has been previously issued). It is recommended that you check with your Principal Certifying Authority.

Right of Review

You may request Council to review its decision under Section 8.2 of the *Environmental Planning and Assessment Act, 1979*.

Right of Appeal

If you are dissatisfied with this decision, Section 8.9 of the *Environmental Planning and Assessment Act 1979* gives you the right to appeal to the Land and Environment Court.

Yours sincerely

A handwritten signature in black ink, appearing to read 'L J Munro', written in a cursive style.

for: Mr L J Munro
Planner

Encl. Modified Consent No. 10.2020.86.1

STATEMENT OF REASONS

Note: From July 1 2018, Council's are required to give and publicly notify reasons for a range of planning decisions where they are deciding if development should proceed to help community members to see how their views have been taken into account and improve accountability to stakeholders. A statement of reasons for the determination of this application is provided below.

Statement of Reasons

S.96	The proposed modifications were minor and substantially the same as the original development approval with no detrimental environmental impacts.
------	--

How community views were addressed

1	The DA was notified/advertised in accordance with Development Control Plan 2014. No submissions were received.
---	--



Schedule 2 – Amended conditions of development consent
AMENDED CONSENT 8 April 2021

BSC File No: 80100D x 10.2020.86.1/#A2020/13274
Contact: Mr L J Munro

NOTICE OF DETERMINATION OF A DEVELOPMENT APPLICATION
issued under the
Environmental Planning and Assessment Act, 1979 Section 4.18(1)(a)

Development Application No. 10.2020.86.1

Mr E Brook
80 St Helena Road
MCLEODS SHOOT NSW 2479

Email: eddie@capebyrondistillery.com

Property description:	LOT: 5 DP: 594645 68 St Helena Road MCLEODS SHOOT
Development	Agricultural Produce Industry (Storage Sheds)
Determination	Consent granted subject to the attached schedule of conditions
Date determined:	14 April 2020
Consent to operate from:	14 April 2020
Consent to lapse on:	14 April 2025

IMPORTANT INFORMATION

It is the responsibility of the applicant, landowner, builder, and any other contractors or agents involved with the development to read and understand all conditions of consent prior to commencing work.

The Environmental Planning and Assessment Act 1979 require you to:

1. Obtain a **Construction Certificate** prior to the commencement of any **building works** as required by conditions of this consent. An application may be lodged with Council, or you may apply to a private accredited certifier for a Construction Certificate. An accredited certifier **must obtain Council's approval** to certain conditions of this development consent, where indicated before issuing the Construction Certificate. Additional fees are payable for this application.
2. Nominate a **Principal Certifying Authority (PCA)** which may be either Council or an accredited certifier and notify Council of that appointment. You **cannot lawfully** commence works without complying with this requirement.
3. Give Council at least two days notice of your intention to commence the erection of a building **before** commencing construction works. You cannot lawfully commence works without complying with this requirement.
4. Obtain an **Occupation Certificate** before commencing occupation or commencing to use the building or on the completion of other works including the erection of a sign. You cannot lawfully commence occupation or the use of a building without complying with this requirement.

CONDITIONS OF CONSENT:

SCHEDULE 1 CONDITIONS OF CONSENT

Parameters of consent

1. Development is to be in accordance with approved plans

The development is to be in accordance with plans listed below:

Plan No.	Description	Prepared by	Dated:
C02 – Issue 5	Site Layout Plan	MDE	20/08/20
C03 – Issue 5	Typical Sections & Details	MDE	20/08/20
C04 – Issue 5	Site Layout plan	MDE	20/08/20
C05 – Issue 5	Stormwater Longitudinal Section	MDE	20/08/20
C07 – Issue 5	Earthworks Cut & Fill	MDE	20/08/20
C08 – Issue 5	Erosion & Sediment Control Plan	MDE	20/08/20
C10 – Issue 5	Site access driveway plan	MDE	20/8/20
21188-DA-DRVW.C01	Site overview	Greg Alderson and Associates	11/3/21
21188-DA-DRVW.C02	Parking Facility	Greg Alderson and Associates	11/3/21

The development is also to be in accordance with any changes shown in red ink on the approved plans or conditions of consent.

The approved plans and related documents endorsed with the Council stamp and authorised signature must be kept on site at all times while work is being undertaken.

2. Condition deleted by 10.2020.86.2 dated 8 April 2021

3. Support for neighbouring buildings

If an excavation extends below the level of the base of the footings of a building on an adjoining allotment of land, the person causing the excavation to be made or builder must:

- Inform the neighbouring property owner immediately.
- Engage a structural engineer to determine any remedial works that may need to be undertaken.
- Preserve and protect the adjoining building from damage.
- If necessary, underpin and support the building in an approved manner.

The following conditions are to be complied with prior to issue of a Construction Certificate for building works

4. Plans of retaining walls and drainage

The application for a Construction Certificate is to include plans and specifications that indicate retaining walls or other approved methods of preventing movement of the soil, where any excavation or filled area exceeds 600mm in height. Adequate provision must be made for drainage.

Such plans and specifications must be approved as part of the Construction Certificate.

5. On-site sewage management facility Section 68 approval required – if toilet installed in either Shed 1 or 2

An approval under Section 68 of the Local Government Act 1993 for on-site effluent disposal must be obtained from Council prior to issue of a Construction Certificate. Such approval must be issued after the date of this consent. The application for Section 68 approval must be accompanied by a report prepared by a suitably qualified professional with demonstrated experience in effluent disposal matters, which addresses the site specific design of sewage management in accordance with the requirements of the NSW Local Government Act, and Approvals Regulation and Guidelines approved by the Director General.

6. Site Waste Minimisation and Management Plan

Chapter B8 of Byron Shire Development Control Plan 2014 (DCP 2014) aims to facilitate sustainable waste management in a manner consistent with the principles of Ecologically Sustainable Development. Prior to the issue of a Construction Certificate, a Site Waste Minimisation and Management Plan (SWMMP) must be submitted outlining measures to minimise and manage waste generated during demolition, construction and the ongoing operation and use of the development. The SWMMP must specify the proposed method of recycling or disposal and the waste management service provider.

A template is provided on Council's website to assist in providing this information

www.byron.nsw.gov.au/files/publication/swmmp-pro-forma.doc

7. Geotechnical Report required – Building Works

A certificate from a professional Engineer experienced in Geotechnical Science is to be provided to the Principal Certifying Authority, certifying that the site is stable and will not be affected by landslide or subsidence at, above or below the site when the building is erected. The certificate must be prepared in accordance with AS 1726.

8. Geotechnical Report required – Engineering Works

A certificate from a professional Engineer experienced in soil mechanics is to be provided to the Principal Certifying Authority, certifying that:

- a) the design of the civil engineering works, including retaining walls and/or cut & fill batters, has been assessed as structurally adequate,
- b) the civil engineering works will not be affected by landslide or subsidence either above or below the works; and
- c) adequate drainage has been provided.

9. Sediment and Erosion Control Management Plan required

The application for a Construction Certificate is to include plans and specifications that indicate the measures to be employed to control erosion and loss of sediment from the site. Control over discharge of stormwater and containment of run-off and pollutants leaving the site/premises must be undertaken through the installation of erosion control devices such as catch drains, energy dissipaters, level spreaders and sediment control devices such as filter fences and sedimentation basins.

Such plans and specifications must be approved as part of the Construction Certificate.

NOTE: The plans must be in compliance with Council's current "Northern Rivers Local Government Development Design & Construction Manuals and Standard Drawings".

10. Stormwater Drainage – Connection to Existing Drainage System

The application for a Construction Certificate is to include plans and specifications for stormwater drainage in accordance with AS/NZS 3500.3:2003, *Plumbing and drainage, Part 3: Stormwater drainage*. All stormwater drainage for the development must be conveyed by a gravity system to the existing stormwater drainage system within the site.

The MDE C05 drawing must be amended to provide an end of line sediment basin at all proposed outlets in accordance with WSUD Technical Guidelines.

Such plans and specifications must be approved as part of the Construction Certificate.

11. Consent required for works within the road reserve

Consent from Council must be obtained for works within the road reserve pursuant to Section 138 of the Roads Act 1993. Three (3) copies of engineering construction plans must accompany the application for consent for works within the road reserve.

Such plans are to be in accordance with Council's current Design & Construction Manuals and are to provide for the following works:

Driveway	A driveway in accordance with Type 1 of RMS Standard drawing 19.07.2016.
Pavement and seal widening	St Helena Road pavement widening to provide a modified Rural BAR and associated drainage construction in accordance with Greg Alderson drawing 21188-DA-DRVW.C01 rev A dated 11/3/21

12. Traffic Management Plan

Consent from Council must be obtained for a Traffic Management Plan pursuant to Section 138 of the Roads Act 1993. The plans and specifications are to include the measures to be employed to control traffic (inclusive of construction vehicles) during construction of the development. The traffic management plan is to be designed in accordance with the requirements of the Roads and Traffic Authority's Manual, Traffic Control at Work Sites Version 2, and the current Australian Standards, Manual of Uniform Traffic Control Devices Part 3, 'Traffic Control Devices for Works on Roads'.

The report must incorporate measures and TCP to ensure that motorists using road adjacent to the development, residents and pedestrians in the vicinity of the development are subjected to minimal time delays due to construction on the site or adjacent to the site.

The traffic management plan must be prepared by a suitably qualified and RTA accredited Work Site Traffic Controller.

13. Car parking layout, vehicle circulation and access plans required.

The application for a Construction Certificate is to include plans and specification that indicate access, parking and manoeuvring details in accordance with the plans approved by this consent.

The access, parking and manoeuvring for the site is to comply with the requirements of AS 2890.1-2004: Parking facilities, Part 1: Off-street car parking and AS 2890.2 – 2010 - Parking facilities, Part 2: Off-street commercial vehicle facilities. Plans are to include, but not be limited to, the following items:

- a) 3.5m wide access with passing bays every 200m;
- b) pavement design, comprising an all weather surface, such as asphalt, bitumen seal, concrete, pavers or other similar treatment;
- c) site conditions affecting the access;
- d) existing and design levels;
- e) longitudinal section from the road centreline to the car space(s);
- f) cross sections every 15 metres;
- g) drainage details; and
- h) turning paths.

The engineering plans and specifications are to be designed by a qualified practising Civil Engineer. The Civil Engineer is to be a corporate member of the Institution of Engineers Australia or is to be eligible to become a corporate member and have appropriate experience and competence in the related field.

Such plans and specifications must be approved as part of the Construction Certificate.

NOTE: The plans must be in compliance with Council's current "Northern Rivers Local Government Development Design & Construction Manuals and Standard Drawings"

14. Condition deleted by 10.2020.86.2 dated 8 April 2021

15. Long Service Levy to be paid

In accordance with Section 4.68 of the Environmental Planning and Assessment Act 1979 (as amended), a Construction Certificate for SUBDIVISION WORKS OR BUILDING WORKS shall NOT be issued until any Long Service Levy payable under Section 34 of the Building and Construction Industry Long Service Payments Act, 1986 (or where such levy is payable by instalments, the first instalment of the levy) has been paid (as applicable).

These payments can be made online at www.longservice.nsw.gov.au. Proof of payment is required to be submitted with the Construction Certificate application.

For further information regarding the Long Service Payment please refer to the website above.

16. Bond required to guarantee against damage to public land

A bond of \$3000 is to be paid to Council as guarantee against damage to surrounding public land and infrastructure during construction of the proposed development. Evidence is to be provided to Council indicating the pre development condition of the surrounding public land and infrastructure. Such evidence must include photographs. The proponent will be held responsible for the repair of any damage to roads, kerb and gutters, footpaths, driveway crossovers or other assets.

Such bond will be held until Council is satisfied that the infrastructure is maintained/repaired to pre development conditions and that no further work is to be carried out that may result in damage to Council's roads, footpaths etc.

17. Section 7.12 Levy to be paid

Prior to the issue of a construction certificate the section 7.12 levy required by the Byron Developer Contributions Plan 2012 must be paid to Council.

The levy will be calculated as follows:

Levy payable = %C x \$C

- **%C** is the levy rate applicable as set out in the latest Ministerial Direction issued under section 7.17.
- **\$C** is the proposed cost of carrying out the development.

The rate of **%C** is:

Proposed cost of the development	Maximum percentage of the levy
Up to \$100,000	Nil
\$100,001–\$200,000	0.5 percent
More than \$200,000	1.0 percent

The cost of development must be calculated in accordance with clause 25J of the Regulation. The Cost Summary Report (copy attached) as set out in schedule 2 of the

18. Tree Removal

No trees or vegetation to be cleared or removed until a Construction Certificate has been issued.

The following conditions are to be complied with prior to any building or construction works commencing

19. Erosion and Sediment Control Management Plan required

Erosion and sedimentation controls are to be in place in accordance with the approved Erosion and Sediment Control Plan.

Sediment and erosion control measures in accordance with the approved Erosion and Sedimentation Control plan/s must be maintained at all times until the site has been stabilised by permanent vegetation cover or hard surface.

Any such measures that are deemed to be necessary because of the local conditions must be maintained at all times until the site is made stable (i.e. by permanent vegetation cover or hard surface).

Note: Council may impose on-the-spot fines for non-compliance with this condition.

20. Toilet facilities

Toilet facilities are to be provided, at or in the vicinity of the work site at the rate of one toilet for every 20 persons or part of 20 persons employed at the site. Each toilet provided must be a toilet connected to an accredited sewage management system approved by the Council.

The following conditions are to be complied with during any building or construction works

21. Construction times

Construction works must not unreasonably interfere with the amenity of the neighbourhood. In particular construction noise, when audible from adjoining residential premises, can only occur:

- a. Monday to Friday, from 7 am to 6 pm.
- b. Saturday, from 8 am to 1 pm.

No construction work to take place on Saturdays and Sundays adjacent to Public Holidays and Public Holidays and the Construction Industry Awarded Rostered Days Off (RDO) adjacent to Public Holidays.

Note: Council may impose on-the-spot fines for non-compliance with this condition.

22. Construction Noise

Construction noise is to be limited as follows:

- a. For construction periods of four (4) weeks and under, the L10 noise level measured over a period of not less than fifteen (15) minutes when the construction site is in operation must not exceed the background level by more than 20 dB(A).
- b. For construction periods greater than four (4) weeks and not exceeding twenty-six (26) weeks, the L10 noise level measured over a period of not less than fifteen (15) minutes when the construction site is in operation must not exceed the background level by more than 10 dB(A)

Note: Council may impose on-the-spot fines for non-compliance with this condition.

23. Signs to be erected on building and demolition sites

A sign must be erected in a prominent position on the work site:

- a. stating that unauthorised entry to the work site is prohibited, and
- b. showing the name of the person in charge of the work site and a telephone number at which that person may be contacted outside working hours.

Any such sign is to be removed when the work has been completed.

24. Builders rubbish to be contained on site

All builders rubbish is to be contained on the site in a 'Builders Skips' or an enclosure. Footpaths, road reserves and public reserves are to be maintained clear of rubbish, building materials and all other items.

25. Fill to be retained on the subject land

Fill material must not encroach onto any adjoining land.

26. Prevention of water pollution

Only clean and unpolluted water is to be discharged to Council's stormwater drainage system or any watercourse to ensure compliance with the Protection of Environment Operations Act.

Note: Council may impose on-the-spot fines for non-compliance with this condition.

27. Maintenance of sediment and erosion control measures

Sediment and erosion control measures must be maintained at all times until the site has been stabilised by permanent vegetation cover or hard surface.

28. Stormwater drainage work

Stormwater drainage for the development must be constructed in accordance with the approved plans and specification by a suitably qualified person.

29. Removal of demolition and other wastes

All wastes, including asbestos and lead-contaminated wastes, associated with these works are to be handled and disposed of in accordance with the requirements of the Work Cover Authority.

The applicant/owner is to produce documentary evidence that this condition has been met.

Wastes must be disposed of at a Licenced Waste Facility. All wastes removed from the site must be managed and disposed of in accordance with the NSW DECC Waste Classification Guidelines (2008) www.environment.nsw.gov.au/resources/waste/08202classifyingwaste.pdf

30. Aboriginal Relics

If any Aboriginal archaeological relics or items are exposed during construction works, the Applicant shall:

- a. immediately cease works;
- b. notify the NSW National Parks and Wildlife Service (NPWS);
- c. obtain any necessary permits and/or approvals to continue the work under the National Parks and Wildlife Act 1974.

The Applicant shall comply with any further request made by the NPWS to cease work for the purposes of archaeological assessment and recording.

31. Muted bushland tones external finishes

To ensure the development is compatible with the surrounding environment, colours and finishes are to be muted bushland tones. In this regard white, light or bright colours are not permissible.

The following conditions are to be complied with prior to occupation of the building

32. Works to be completed prior to issue of a Final Occupation Certificate

All of the works indicated on the plans and approved by this consent, including any other consents that are necessary for the completion of this development including approvals issued under the Local Government Act 1993 and the Roads Act 1993, are to be completed and approved by the relevant consent authority/s prior to the issue of a Final Occupation Certificate.

Any Security bond paid for this application will be held until Council is satisfied that no further works are to be carried out that may result in damage to Councils road/footpath reserve.

33. Stormwater disposal

Stormwater must be collected and disposed of in a controlled manner such that stormwater flows are:

- a. Clear of buildings and infrastructure,
- b. Clear of effluent disposal areas,
- c. Not concentrated so as to cause soil erosion,
- d. Not directly to a watercourse, and
- e. Not onto adjoining land.

34. No interference with amenity

The use of the premises shall not interfere with the amenity of the neighbourhood by reason of noise, vibration, smell, fumes, smoke, dust, wastewater or otherwise. In particular:

- a) Any complaints to Council about 'offensive' noise will be dealt with under the provisions of the Protection of the Environment Operations Act 1997.
- b) Only clean and unpolluted water is permitted to be discharged to Councils' stormwater drainage system or any waters.
- c) All wastes shall be contained within appropriate containers fitted with a tight-fitting vermin-proof lid.
- d) All trade waste pre-treatment devices and other waste storage facilities shall be serviced and maintained to ensure that all relevant environment protection standards are satisfied.
- e) Goods deliveries and waste collection shall be restricted to daytime operating hours.

35. No Tours or Ancillary Retailing

Tours and direct retail sales to the public must not be conducted from the Storage Sheds.

36. Access to be completed

The access to be constructed in accordance with the approved plans and Roads Act consent.

37. Internal driveway, parking areas and manoeuvring areas in accordance approved plans

A internal driveway, parking areas and manoeuvring area are to be constructed from the property boundary to the proposed car space(s) in accordance with the approved plans.

SCHEDULE 2 PRESCRIBED CONDITIONS

The prescribed conditions in accordance with Division 8A of the Environmental Planning and Assessment Regulation apply as are of relevance to this application:

- Clause 98 Compliance with Building Code of Australia and insurance requirements under the Home Building Act 1989
- Clause 98A Erection of signs
- Clause 98B Notification of Home Building Act 1989 requirements
- Clause 98E Condition relating to shoring and adequacy of adjoining property

Refer to the NSW State legislation for full text of the clauses under Division 8A of the [Environmental Planning and Assessment Regulation 2000](http://www.legislation.nsw.gov.au). This can be accessed at <http://www.legislation.nsw.gov.au>.

SCHEDULE 3 NOTES

Construction Certificate required:

This development consent is issued under the Environmental Planning and Assessment Act 1979 and does not relate to structural aspects or specifications of the building under the Building Code of Australia. All buildings and alterations require the issue of a Construction Certificate prior to works commencing. Application forms are available from the customer services counter or Council's website www.byron.nsw.gov.au

Principal Certifying Authority:

Work must not commence until the applicant has:-

- a. appointed a Principal Certifying Authority (if the Council is not the PCA); and
- b. given Council at least two days notice of the intention to commence the erection of the building. Notice must be given by using the prescribed 'Form 7'.
- c. notified the Principal Certifying Authority of the Compliance with Part 6 of the Home Building Act 1989.

Occupation Certificate required:

The building must not be occupied until the Principal Certifying Authority has issued an Occupation Certificate.

Protection of the Environment Operations Act 1997:

It is an offence under the provisions of the Protection of the Environment Operations Act 1997 to act in a manner causing, or likely to cause, harm to the environment. Anyone allowing material to enter a waterway or leaving material where it can be washed off-site may be subject to a penalty infringement notice ("on-the-spot fine") or prosecution.

Penalties apply for failure to comply with development consents

Failure to comply with conditions of development consent may lead to an on the spot fine being issued pursuant to section 4.2(1) of the Environmental Planning & Assessment Act 1979 or prosecution pursuant to section 9.50 of the Environmental Planning & Assessment Act 1979

Relics Provisions- Advice

Attention is directed to the NSW Heritage Act 1977 and the provisions of the Act in relation to the exposure of relics. The Act requires that if:

- a) a relic is suspected, or there are reasonable grounds to suspect a relic in ground, that is likely to be disturbed damaged or destroyed by excavation; and/or
- b) any relic is discovered in the course of excavation that will be disturbed, damaged or destroyed by further excavation;

Those responsible for the discovery must notify nominated management personnel who will in turn notify the Heritage Council of New South Wales or its delegate, the Office of Environment and Heritage, NSW Heritage Branch, and suspend work that might have the effect of disturbing, damaging or destroying such relic until the requirements of the NSW Heritage Council have been satisfied (ss139, 146).

Section 94A Contributions

Schedule 1 to be completed and submitted to Council with the payment of Section 94A contributions.

Statement of Reasons

The proposed development complies with the provisions of Byron Local Environmental Plan 2014.
The proposed development complies with relevant State Environmental Planning Policies
The proposed development complies with relevant provisions of Development Control Plan 2014
The proposed development complies with Environmental Planning & Assessment Regulation 2000 considerations.
The proposed development will not have significant adverse impact on the natural, built or social environment or economic impacts on the locality.
The proposed development is considered suitable for the proposed site.
The development application was notified/advertised in accordance with Development Control Plan 2014. No submissions were received.
The proposed development is unlikely to prejudice or compromise the public interest.

How community views were addressed

The DA was notified/advertised in accordance with Development Control Plan 2014. No submissions were received.
--

Reason for conditions

The conditions imposed have been included in response to development considerations and to ensure a high standard of development having regard to the effect upon the environment and the amenity of the neighborhood.

Dial Before You Dig

Underground assets may exist in the area that is subject to your application. In the interests of health and safety and in order to protect damage to third party assets please contact Dial before you dig at www.1100.com.au or telephone on 1100 before excavating or erecting structures (This is the law in NSW). If alterations are required to the configuration, size, form or design of the development upon contacting the Dial before You Dig service, an amendment to the development consent (or a new development application) may be necessary. Individuals owe asset owners a duty of care that must be observed when working in the vicinity of plant or assets. It is the individual's responsibility to anticipate and request the nominal location of plant or assets on the relevant property via contacting the Dial before you dig service in advance of any construction or planning activities.

Telecommunications Act 1997 (Commonwealth) Telstra (and its authorised contractors) are the only companies that are permitted to conduct works on Telstra's network and assets. Any person interfering with a facility or installation owned by Telstra is committing an offence under the Criminal Code Act 1995 (Cth) and is liable for prosecution.

Furthermore, damage to Telstra's infrastructure may result in interruption to the provision of essential services and significant costs. If you are aware of any works or proposed works which may affect or impact on Telstra's assets in any way, you are required to contact: Telstra's Network Integrity Team on Phone Number 1800810443.

Are you dissatisfied with conditions of consent?

If you are unhappy with conditions of consent discuss your concerns with the officer who dealt with your application. You may submit an application to Council to modify the consent under Section 4.55 of the Environmental Planning & Assessment Act, 1979.

You will need to provide reasons why the conditions should be changed or deleted. You may lodge a Section 4.55 application at any time after the notice of determination. If you are not happy with Council's decision on your request for modification, then you may appeal to the Land & Environment Court within six (6) months of the notification by Council.

Right of Review

You may request Council to review its decision under Section 8.2 of the Environmental Planning and Assessment Act, 1979. Such a request must be made within six (6) months of the date of the determination, or if there is an appeal to the Land and Environment Court, up to the time when the court hands down its decision. In reviewing its decision Council is able to consider alterations to the above plans, provided that the Development Application remains substantially the same as the one for which the consent was originally sought, and the changes are publicly notified.


NOTE: This clause does not relate to Integrated Development Applications, applications determined by the Joint Regional Planning Panel or applications previously considered under Section 8.2 of the Environmental Planning and Assessment Act 1979.

Right of Appeal

If you are dissatisfied with this decision, Section 8.7 of the *Environmental Planning and Assessment Act 1979* gives you the right to appeal to the Land and Environment Court within six (6) months after the date on which you receive this notice.

Signed on behalf of the Consent Authority

Yours faithfully



for: Mr L J Munro
Planner

Dated: 12 April 2021