



NOTICE OF DETERMINATION OF A DEVELOPMENT APPLICATION
issued under the
Environmental Planning and Assessment Act, 1979 Section 4.18(1)(a)

Development Application No. 10.2021.855.1

Town Planning Studio Pty Ltd
ATT: Mr J Davidson
PO Box 238
BRUNSWICK HEADS NSW 2483

Email: joe@jdtownplanning.com.au

Property description	LOT: 2 DP: 1007210 305 Coopers Shoot Road COOPERS SHOOT
Development	Demolition of Existing Dwelling and Construction of New Dwelling House
Determination	Consent granted <i>Subject to the attached schedule of conditions</i>
Date determined	9 June 2022
Consent to operate from	14 June 2022
Consent to lapse on	14 June 2027

IMPORTANT INFORMATION

It is the responsibility of the applicant, landowner, builder, and any other contractors or agents involved with the development to read and understand all conditions of consent prior to commencing work.

The Environmental Planning and Assessment Act 1979 require you to:

1. Obtain a **Construction Certificate** prior to the commencement of any **building works** as required by conditions of this consent. An application may be lodged with Council, or you may apply to a private accredited certifier for a Construction Certificate. An accredited certifier **must obtain Council's approval** to certain conditions of this development consent, where indicated before issuing the Construction Certificate. Additional fees are payable for this application.
2. Nominate a **Principal Certifying Authority (PCA)** which may be either Council or an accredited certifier and notify Council of that appointment. You **cannot lawfully** commence works without complying with this requirement.
3. Give Council at least two days notice of your intention to commence the erection of a building **before** commencing construction works. You cannot lawfully commence works without complying with this requirement.
4. Obtain an **Occupation Certificate** before commencing occupation or commencing to use the building or on the completion of other works including the erection of a sign. You cannot lawfully commence occupation or the use of a building without complying with this requirement.

SCHEDULE 1. CONDITIONS OF CONSENT

Parameters of consent

1. Approved plans and supporting documentation

Development must be carried out in accordance with the following approved plans and supporting documentation (stamped by Council), except where the conditions of this consent expressly require otherwise.

Plan No.	Revision No.	Plan Title	Drawn by	Dated
10 of 13	-	Site plan	Unsigned	Undated
3A of 13	-	Floor plan	Unsigned	Undated
1 of 13	-	East and north elevations	Unsigned	Undated
2 of 3	-	South and west elevations	Unsigned	Undated
4 of 13	-	Section A-A	Unsigned	Undated
03	B	Items from development consent 10.2020.3.2 to be retained	Town Planning Studio Pty Ltd	21/12/2021

In the event of any inconsistency between the approved plans and the supporting documentation, the approved plans prevail. In the event of any inconsistency between the approved plans and a condition of this consent, the condition prevails.

Note: an inconsistency occurs between an approved plan and supporting documentation or between an approved plan and a condition when it is not possible to comply with both at the relevant time.

2. Payment of security deposits (if applicable)

Before the commencement of any works on the site or the issue of a construction certificate, the applicant must make all of the following payments to Council and provide written evidence of these payments to the certifier:

Security deposit	\$ 3,000
Inspection fee	\$180

The payments will be used for the cost of:

- making good any damage caused to any council property (including street trees) as a consequence of carrying out the works to which the consent relates,
- completing any public work such as roadwork, kerbing and guttering, footway construction, stormwater drainage and environmental controls, required in connection with this consent, and
- any inspection carried out by Council in connection with the completion of public work or the making good any damage to council property.

Note: The inspection fee includes Council's fees and charges and includes the Public Road and Footpath Infrastructure Inspection Fee (under the *Roads Act 1993*). The amount payable must be in accordance with council's fees and charges at the payment date.

3. Support for neighbouring buildings

If an excavation extends below the level of the base of the footings of a building on an adjoining allotment of land, the person causing the excavation to be made or builder must:

- a. Inform the neighbouring property owner immediately.
- b. Engage a structural engineer to determine any remedial works that may need to be

- undertaken.
- c. Preserve and protect the adjoining building from damage.
 - d. If necessary, underpin and support the building in an approved manner.

4. Conditions prescribed by the Regulation

This development consent is subject to the conditions prescribed by the regulations in accordance with subsection 4.17(11) of the Environmental Planning and Assessment Act 1979. Conditions are provided in a Schedule of this consent.

The following conditions are to be complied with prior to issue of a Construction Certificate for building works

5. Construction site management plan

Before the issue of a construction certificate, the applicant must ensure a construction site management plan is prepared before it is provided to and approved by the certifier. The plan must include the following matters:

- location and materials for protective fencing and hoardings to the perimeter on the site
- provisions for public safety
- pedestrian and vehicular site access points and construction activity zones
- details of construction traffic management, including proposed truck movements to and from the site and estimated frequency of those movements, and measures to preserve pedestrian safety in the vicinity of the site
- protective measures for on-site tree preservation (including in accordance with AS 4970-2009 Protection of trees on development sites and Council's DCP, if applicable) and trees in adjoining public domain (if applicable)
- details of any bulk earthworks to be carried out
- location of site storage areas and sheds
- equipment used to carry out all works
- a garbage container with a tight-fitting lid
- dust, noise and vibration control measures
- location of temporary toilets.

The applicant must ensure a copy of the approved construction site management plan is kept on-site at all times during construction.

6. Modification of DA 10.2020.3.1

Prior to the issue of a Construction Certificate, the property owner, or a person authorised to act upon the development consent DA 10.2020.3.1 shall modify that consent in accordance with section 4.17(1)(b) of the Environmental Planning and Assessment Act 1979 and clause 67 of the Environmental Planning and Assessment Regulation 2021.

The amendments to the development 10.2020.3.1 shall be as follows:

Modify the description of the development to read as follows

Demolish and Rebuild Expanded House, Shed and Swimming Pool

Modify the following condition 2 to read as follows

1. Development is to be in accordance with approved plans

The development is to be in accordance with plans listed below:

Plan No.	Description	Prepared by	Dated:

8 Rev D	Proposed Site Plan	DJE Design	29/05/2020
15 Rev E	Proposed Expanded House Module	DJE Design	24/08/2020
16 Rev D	Sectional Diagrams	DJE Design	29/05/2020
17 Rev D	Window Schedule	DJE Design	29/05/2020
DWGAP1	Shed Elevations	Tilmac	07/07/2020
DWGAP2	Shed Floor Plan	Tilmac	07/07/2020

except as modified by the plans approved under the consent to Development Application No. 10.2021.855.1 only in relation to the demolition of the existing dwelling house and the new dwelling house main building.

The development is also to be in accordance with any changes shown in red ink on the approved plans or conditions of consent.

The approved plans and related documents endorsed with the Council stamp and authorised signature must be kept on site at all times while work is being undertaken.

7. Terms of approval for on-site sewage management

Details to be submitted with the Construction Certificate to demonstrate there is no conflict with demolition and construction activities and the existing on-site sewage management system

Where required, a S68 Application is to be submitted to Council to relocate any system prior to the issue of the Construction Certificate. A s68 application for the connection of drains is required if the current OSMS is retained unchanged.

8. Consent required for Works within Road Reserve

Consent from Council must be obtained for works within the road reserve pursuant to Section 138 of the Roads Act 1993. Three (3) copies of engineering construction plans must accompany the application for consent for works within the road reserve.

Such plans are to be in accordance with Council's current Design & Construction Manuals and are to provide for the following works:

a) Driveway Upgrade

The existing driveway must be upgraded to comply with Council's current standards, in accordance with Council's Northern Rivers Local Government Development Design & Construction Manuals and Standard Drawings.

9. Access & Parking

The application for a Construction Certificate is to include plans and specification that indicate access, parking and manoeuvring details in accordance with the plans approved by this consent.

The access, parking and manoeuvring for the site is to comply with the requirements of AS 2890.1-2004: Parking facilities, Part 1: Off-street car parking. Plans are to include, but not be limited to, the following items:

- a) pavement design, comprising an all-weather surface, such as asphalt, bitumen seal, concrete, pavers or other similar treatment including suitably designed permeable

- pavements;
- b) site conditions affecting the access;
- c) existing and design levels; and
- d) longitudinal section from the road centreline to the car space(s).

Such plans and specifications must be approved as part of the Construction Certificate.

NOTE: The plans must be in compliance with Council's current "Northern Rivers Local Government Development Design & Construction Manuals and Standard Drawings".

10. **Compliance with BASIX Certificate requirements**

The development is to comply with Basix Certificate No. 1261489S_02, dated Tuesday, 21 December 2021.

The commitments indicated in the Certificate are to be indicated on the plans submitted for approval of the Construction Certificate.

The plans submitted must clearly indicate all windows numbered or identified in a manner that is consistent with the identification on the Basix Certificate.

Minor changes to the measures may be undertaken without the issue of any amendment under Section 4.55 of the Act, provided that the changes do not affect the form, shape or size of the building.

Such plans and specifications must be approved as part of the Construction Certificate.

11. **Building materials and colours to be specified**

The application for a Construction Certificate is to include plans and specifications that indicate the proposed building materials and colours consistent with the provisions of Development Control Plan 2014 – Chapter D2.2.3 - Character and Visual Impact. Please note that colours must be non-reflective earth tone colours and that the use of white and near white colours is not permissible

Such plans and specifications must be approved as part of the Construction Certificate.

12. **Long Service Levy to be paid**

In accordance with Section 6.8 of the Environmental Planning and Assessment Act 1979 (as amended), a Construction Certificate for BUILDING WORKS shall NOT be issued until any Long Service Levy payable under Section 34 of the Building and Construction Industry Long Service Payments Act, 1986 (or where such levy is payable by instalments, the first instalment of the levy) has been paid (as applicable).

These payments can be made online at www.longservice.nsw.gov.au. Proof of payment is required to be submitted with the Construction Certificate application.

For further information regarding the Long Service Payment please refer to the website above.

13. **Onsite Effluent Waste Water systems (Rural Swimming Pools)**

The owner is responsible to ensure works do not conflict with the Onsite Waste Water System (Sewage Management Facility).

Details to be submitted with the Construction Certificate to demonstrate there is no conflict with both the disposal areas, plumbing and treatment/ storage/ septic tanks.

Where required, a S68 Application is to be submitted to Council to relocate any system prior to the issue of the Construction Certificate.

14. **Details of pool fence required**

The application for a Construction Certificate is to include plans and specifications that indicate the details of the fence around the swimming pool in accordance with the Swimming Pools Act 1992 and AS1926.1.

Such plans and specifications must be approved as part of the Construction Certificate.

15. **Waste Management Plan**

Before the issue of a construction certificate, the applicant is to ensure that a waste management plan is prepared in accordance with the EPA's Waste Classification Guidelines and the following requirements before it is provided to and approved by the certifier:

a. Council's Waste Management Development Control Plan

OR

b. details the following:

- the contact details of the person(s) removing the waste
- an estimate of the waste (type and quantity) and whether the waste is expected to be reused, recycled or go to landfill
- the address of the disposal location(s) where the waste is to be taken

The applicant must ensure the waste management plan is referred to in the construction site management plan and kept on-site at all times during construction.

16. **Tree Removal**

No trees or vegetation to be cleared or removed until a Construction Certificate has been issued.

The following conditions are to be complied with prior to any building or construction works commencing

17. **Erosion and sediment measures**

Where erosion of soils or runoff of any substance is likely to occur, erosion and sedimentation controls are to be in place in accordance with the Guidelines for Erosion & Sediment Control on Building Sites. This may include stockpiled materials such as sand, etc.

Any such measures that are deemed to be necessary because of the local conditions must be maintained at all times until the site is made stable (i.e., by permanent vegetation cover or hard surface).

18. **On-site Sewage Management System Protection**

The locations of all On-site sewage management infrastructure being retained must be delineated and marked out with exclusion barriers to avoid being damaged by demolition or construction activities.

19. **Toilet facilities**

Toilet facilities are to be provided, at or in the vicinity of the work site at the rate of one toilet for every 20 persons or part of 20 persons employed at the site. Each toilet provided must be a toilet connected to an accredited sewage management system approved by the Council.

20. **Site Location**

The location of the building on the site to be established by a suitably qualified Surveyor and

must comply with this approval including any required setbacks to boundaries.

The following conditions are to be complied with during any building or construction works

21. Hours of work

The principal certifier must ensure that building work, demolition or vegetation removal is only carried out between:

- 7am to 6pm on Monday to Friday.
- 8am to 1pm on Saturday.

The principal certifier must ensure building work, demolition or vegetation removal is not carried out on Sundays and public holidays, except where there is an emergency.

Unless otherwise approved within a construction site management plan, construction vehicles, machinery, goods or materials must not be delivered to the site outside the approved hours of site works.

Note: Any variation to the hours of work requires Council's approval.

22. Construction Noise

While building work is being carried out, and where a noise and vibration management plan is approved under this consent, the applicant must ensure that any noise generated from the site is controlled in accordance with the requirements of that plan.

OR

While building work is being carried out and where no noise and vibration management plan is approved under this consent, the applicant is to ensure that any noise caused by demolition, vegetation removal or construction does not exceed an LAeq (15 min) of 5dB(A) above background noise, when measured at any lot boundary of the property where the construction is being carried out.

23. Implementation of BASIX commitments

While building work is being carried out, the applicant must undertake the development strictly in accordance with the commitments listed in the BASIX certificate(s) approved by this consent, for the development to which the consent applies.

24. Inspection for on-site sewage management

All plumbing and drainage works is to be installed by a suitably qualified person. The plumber must adhere to the requirements of the NSW Code of Practice and AS/NZ 3500. The plumber is to arrange for the following inspections to be undertaken:

- a. Internal drainage prior to covering of the works.
- b. External drainage prior to the covering of works.
- c. Irrigation installation prior to the covering of works.
- d. Final

25. Signs to be erected on building and demolition sites

A sign must be erected in a prominent position on the work site:

- a. stating that unauthorised entry to the work site is prohibited, and
- b. showing the name of the person in charge of the work site and a telephone number at which that person may be contacted outside working hours.

Any such sign is to be removed when the work has been completed.

26. **Builders rubbish to be contained on site**
All builder's rubbish is to be contained on the site in a 'Builders Skips' or an enclosure. Footpaths, road reserves and public reserves are to be maintained clear of rubbish, building materials and all other items.
27. **Fill to be retained on the subject land**
Fill material must not encroach onto any adjoining land.
28. **Prevention of water pollution**
Only clean and unpolluted water is to be discharged to Council's stormwater drainage system or any watercourse to ensure compliance with the Protection of Environment Operations Act.
- Note: Council may impose on-the-spot fines for non-compliance with this condition.**
29. **Removal of asbestos**
All asbestos wastes associated with removal of the existing building to be disposed of in accordance with the requirements of the Workcover Authority. The applicant/owner is to produce documentary evidence that this condition has been met.
- Please note the Byron Resource Recovery Centre cannot accept asbestos. You will need to arrange disposal at an alternate landfill site.
30. **Maintenance of sediment and erosion control measures**
Sediment and erosion control measures must be maintained at all times until the site has been stabilised by permanent vegetation cover or hard surface.
31. **Demolition**
Any required demolition works must be undertaken in accordance with the relevant requirements of Australian Standard AS 2601–1991: The Demolition of Structures published by Standards Australia, and the WorkCover Authority of NSW.
32. **All excavated soils to be disposed of off-site**
All excavated soils to be disposed of off-site and in accordance with NSW EPA *Waste Classification Guidelines* (2014) and approved environmental management plans.
33. **Removal of demolition and other wastes**
All wastes, including asbestos and lead-contaminated wastes, associated with these works are to be handled and disposed of in accordance with the requirements of the Work Cover Authority. The applicant/owner is to produce documentary evidence that this condition has been met. Wastes must be disposed of at a Licenced Waste Facility. All wastes removed from the site must be managed and disposed of in accordance with the [NSW EPA Waste Classification Guidelines \(2014\)](#)
34. **Excavated natural materials and demolition waste disposal**
Any and all excavated natural materials and demolition and builders waste transported from the site must be accompanied (a copy kept with the transporter) by a [NSW Protection of The Environment Operations Act s143 Notice](#).
35. **Muted bushland tones external finishes**
To ensure the development is compatible with the surrounding environment, colours and finishes are to be muted bushland tones. In this regard white, light or bright colours are not

permissible.

36. Aboriginal Relics

While demolition or building work is being carried out, all such works must cease immediately if a relic or Aboriginal object is unexpectedly discovered. The applicant must notify the Heritage Council of NSW in respect of a relic and notify the Secretary of the Department of Planning, Industry and Environment and the Heritage Council of NSW in respect of an Aboriginal object. Building work may recommence at a time confirmed by either the Heritage Council of NSW or the Secretary of the Department of Planning, Industry and Environment.

In this condition:

- “relic” means any deposit, artefact, object or material evidence that:
 - a. relates to the settlement of the area that comprises New South Wales, not being Aboriginal settlement, and
 - b. is of State or local heritage significance; and
- “Aboriginal object” means any deposit, object or material evidence (not being a handicraft made for sale) relating to the Aboriginal habitation of the area that comprises New South Wales, being habitation before or concurrent with (or both) the occupation of that area by persons of non-Aboriginal extraction and includes Aboriginal remains.

The following conditions are to be complied with prior to occupation of the building

37. Works to be completed prior to issue of a Final Occupation Certificate

All of the works indicated on the plans and approved by this consent, including any other consents that are necessary for the completion of this development including approvals issued under the Local Government Act 1993 and the Roads Act 1993, are to be completed and approved by the relevant consent authority/s prior to the issue of a Final Occupation Certificate.

Any Security bond paid for this application will be held until Council is satisfied that no further works are to be carried out that may result in damage to Councils road/footpath reserve.

38. On-site Sewage Management system must be completed

The on-site sewage management system is to be constructed in accordance with approved plans and in accordance with current specifications and standards. The system is not to be used and/or operated until a Council Officer has inspected the system and authorised its use.

39. Access and parking areas to be completed.

The access and parking areas are to be constructed in accordance with the approved plans and Roads Act consent prior to the issue of an occupation certificate.

40. Approval to Operate required

In accordance with the Local Government Act, an Approval to Operate the onsite sewage management system must be obtained from Council. Forms may be downloaded from Council's website with '<http://www.byron.nsw.gov.au/on-site-sewage>'.

41. Plumbing Works

All works in relation to any associated Section 68 Water and Sewerage approval must be fully complied with and have a Final Plumbing Certificate issued prior to the issue of an Interim or Final Occupation Certificate.”

42. Stormwater disposal

Stormwater must be collected and disposed of in a controlled manner such that stormwater

flows are:

- a. Clear of buildings and infrastructure,
- b. Clear of effluent disposal areas,
- c. Not concentrated so as to cause soil erosion,
- d. Not directly to a watercourse, and
- e. Not onto adjoining land.

43. **Swimming pool fencing**

Swimming pool fencing is to comply with the requirements of the Swimming Pools Act 1992 and Regulations.

44. **Site Location Survey**

A final survey of the structures showing setbacks to boundaries to be submitted to the Private Certifier with the Occupation Certificate demonstrating compliance with the approved plans.

The following conditions are to be complied with at all times

45. **Approved use**

Dwelling house – Use of the development is approved for a dwelling house. Any activity other than that defined as dwelling house must not be carried out unless development consent is sought.

Note. *dwelling house* means “a building containing only one dwelling”, and dwelling means “a room or suite of rooms occupied or used or so constructed or adapted as to be capable of being occupied or used as a separate domicile”. The dwelling house is not approved as short-term rental accommodation, tourist and visitor accommodation or to be “holiday let”.

46. **Pool Safety Sign**

The occupier of the premises must ensure that there is at all times a sign in the immediate vicinity of the swimming pool bearing the words ‘Young children must be supervised when using this swimming pool’. The sign is to be a prominent position and be otherwise in accordance with clause 9 of the Swimming Pools Regulation.

A pool resuscitation sign is to be installed in a conspicuous location within the pool area to the satisfaction of the Principle Certifying Authority.

47. **Pool backwash in rural areas**

Pool water disposal and backwash is to be directed to a soakage trench located in such a location as to not cause any nuisance to adjoining properties or damage to any structures.

48. **Swimming pool pump location**

The filter pump is to be located such that noise from its operations does not cause a nuisance to adjoining residents. If necessary an acoustic enclosure must be provided around the pump to achieve the required noise attenuation.

49. **Swimming Pool Fencing**

Swimming pool fencing is to comply with the requirements of the Swimming Pool Act 1992 and Regulations at all times.

50. **Site Waste Minimisation and Management**

All works must comply with the objectives of waste minimisation and waste management of Part B8.1.2 of DCP 2014.

51. **Rain Water Supply**

All rain water supply tanks are required to divert water from the first rainfall using a first flush or bypass device. All rainwater tank overflows must be diverted away from on-site sewage management systems

SCHEDULE 2. PRESCRIBED CONDITIONS

The prescribed conditions in accordance with Part 6 Division 8A of the Environmental Planning and Assessment Regulation as at the date of this development consent as are of relevance to this development must be complied with:

Clause 98 Compliance with Building Code of Australia and insurance requirements under the Home Building Act 1989

Clause 98A Erection of signs

Clause 98B Notification of Home Building Act 1989 requirements

Clause 98C Conditions relating to entertainment venues

Clause 98D Condition relating to maximum capacity signage

Clause 98E Condition relating to shoring and adequacy of adjoining property

Refer to the NSW State legislation for full text of the clauses under Part 6 Division 8A of the [Environmental Planning and Assessment Regulation 2000](http://www.legislation.nsw.gov.au). This can be accessed at <http://www.legislation.nsw.gov.au>.

SCHEDULE 3. REASONS FOR DECISION, HOW COMMUNITY VIEWS WERE ADDRESSED

Note: From July 1, 2018, Councils are required to give and publicly notify reasons for a range of planning decisions where they are deciding if development should proceed to help community members to see how their views have been taken into account and improve accountability to stakeholders. A statement of reasons for the determination of this application is provided below.

Statement of Reasons
The proposed development complies with the provisions of Byron Local Environmental Plan 2014.
The proposed development complies with relevant State Environmental Planning Policies
The proposed development complies with relevant provisions of Development Control Plan 2014
The proposed development complies with Environmental Planning & Assessment Regulation 2000 considerations.
The proposed development will not have significant adverse impact on the natural, built or social environment or economic impacts on the locality.
The proposed development is considered suitable for the proposed site.
The development application was notified/advertised in accordance with Council's Community Participation Plan. Issues raised in the submissions have been addressed during assessment of the application.
The proposed development is unlikely to prejudice or compromise the public interest.

SCHEDULE 4. NOTES

Construction Certificate required:

This development consent is issued under the Environmental Planning and Assessment Act 1979 and does not relate to structural aspects or specifications of the building under the Building Code of Australia. All buildings and alterations require the issue of a Construction Certificate prior to works commencing. Application forms are available from the customer services counter or Council's website www.byron.nsw.gov.au

Principal Certifying Authority:

Work must not commence until the applicant has:-

- a. appointed a Principal Certifying Authority (if the Council is not the PCA); and
- b. given Council at least two days' notice of the intention to commence the erection of the building. Notice must be given by using the prescribed 'Form 7'.
- c. notified the Principal Certifying Authority of the Compliance with Part 6 of the Home Building Act 1989.

Occupation Certificate required:

The building must not be occupied until the Principal Certifying Authority has issued an Occupation Certificate.

Protection of the Environment Operations Act 1997:

It is an offence under the provisions of the Protection of the Environment Operations Act 1997 to act in a manner causing, or likely to cause, harm to the environment. Anyone allowing material to enter a waterway or leaving material where it can be washed off-site may be subject to a penalty infringement notice ("on-the-spot fine") or prosecution.

Penalties apply for failure to comply with development consents

Failure to comply with conditions of development consent may lead to an on-the-spot fine being issued pursuant to section 4.2(1) of the Environmental Planning & Assessment Act 1979 or prosecution pursuant to section 9.50 of the Environmental Planning & Assessment Act 1979.

Plumbing Standards and requirements.

All Plumbing, Water Supply, Sewerage and Stormwater Works shall be installed in accordance with the Local Government Act 1993, Plumbers Code of Australia and AS/NZS 3500 Parts 0-5, the approved plans (any notations on those plans) and the approved specifications. Any plumbing inspections required under a Section 68 Approval are to occur in accordance with that approval.

Relics Provisions- Advice

Attention is directed to the NSW Heritage Act 1977 and the provisions of the Act in relation to the exposure of relics. The Act requires that if:

- a) a relic is suspected, or there are reasonable grounds to suspect a relic in ground, that is likely to be disturbed damaged or destroyed by excavation; and/or
- b) any relic is discovered in the course of excavation that will be disturbed, damaged or destroyed by further excavation;

Those responsible for the discovery must notify nominated management personnel who will in turn notify the Heritage Council of New South Wales or its delegate, the Office of Environment and Heritage, NSW Heritage Branch, and suspend work that might have the effect of disturbing, damaging or destroying such relic until the requirements of the NSW Heritage Council have been satisfied (ss139, 146).

Reason for conditions

The conditions imposed have been included in response to development considerations and to ensure a high standard of development having regard to the effect upon the environment and the amenity of the neighborhood.

Dial Before You Dig

Underground assets may exist in the area that is subject to your application. In the interests of health and safety and in order to protect damage to third party assets please contact Dial before you dig at www.1100.com.au or telephone on 1100 before excavating or erecting structures (This is the law in

NSW). If alterations are required to the configuration, size, form or design of the development upon contacting the Dial before You Dig service, an amendment to the development consent (or a new development application) may be necessary. Individuals owe asset owners a duty of care that must be observed when working in the vicinity of plant or assets. It is the individual's responsibility to anticipate and request the nominal location of plant or assets on the relevant property via contacting the Dial before you dig service in advance of any construction or planning activities.

Telecommunications Act 1997 (Commonwealth) Telstra (and its authorised contractors) are the only companies that are permitted to conduct works on Telstra's network and assets. Any person interfering with a facility or installation owned by Telstra is committing an offence under the Criminal Code Act 1995 (Cth) and is liable for prosecution.

Furthermore, damage to Telstra's infrastructure may result in interruption to the provision of essential services and significant costs. If you are aware of any works or proposed works which may affect or impact on Telstra's assets in any way, you are required to contact: Telstra's Network Integrity Team on Phone Number 1800810443.

Are you dissatisfied with conditions of consent?

If you are unhappy with conditions of consent discuss your concerns with the officer who dealt with your application. You may submit an application to Council to modify the consent under Section 4.55 of the Environmental Planning & Assessment Act, 1979.

You will need to provide reasons why the conditions should be changed or deleted. You may lodge a Section 4.55 application at any time after the notice of determination. If you are not happy with Council's decision on your request for modification, then you may appeal to the Land & Environment Court within six (6) months of the notification by Council.

Right of Review

You may request Council to review its decision under Section 8.2 of the Environmental Planning and Assessment Act, 1979. Such a request must be made within six (6) months of the date of the determination, or if there is an appeal to the Land and Environment Court, up to the time when the court hands down its decision. In reviewing its decision Council is able to consider alterations to the above plans, provided that the Development Application remains substantially the same as the one for which the consent was originally sought, and the changes are publicly notified.

Right of Appeal

If you are dissatisfied with this decision, Section 8.7 of the *Environmental Planning and Assessment Act 1979* gives you the right to appeal to the Land and Environment Court within six (6) months after the date on which you receive this notice.

Signed on behalf of the Consent Authority

Yours faithfully



Mr L Wall
Planner

Dated: 14 June 2022